
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62,39

TREES, SHRUBS VINES, ROSES

AND HÉRBACEOUS PERENNIALS

PRICE-LIST FOR GARDENERS AND
OWNERS OF LARGE
ESTATES ONLY



1906

BAY STATE NURSERIES

WINDSOR H. WYMAN

NORTH ABINGTON & MASSACHUSETTS

THE PACKING SEASON.

The spring packing and shipping season usually opens here about the first of March and continues until the middle of May or first of June. Stock kept dormant in our cold storage houses can be planted successfully until very late in the season.

Fall packing, the first of October, and continues until freezing weather sets in.

Evergreens can be successfully transplanted during August and September. Herbaceous Perennials should be transplanted either in the spring or during September and first half of October.

DIRECTIONS FOR SHIPPING.

Parties ordering are requested to state explicitly the mode of conveyance by which they desire their stock forwarded.

When no route is designated, we exercise our judgment; but in no case do we assume any responsibility after packages are shipped, unless for our own mistakes. When losses occur by detention, claims should at once be made on the forwarder.

INSPECTOR'S CERTIFICATE ACCOMPANIES EVERY SHIPMENT.

CONDITIONS OF SALE.

First.—The articles on the following list will be furnished at the annexed prices only when the quantity specified shall be taken. Five hundred will be furnished at the thousand rate; fifty at the hundred rate; and five at the rate per ten.

Second.—While we exercise the greatest care to have all Trees, Shrubs and Plants genuine and reliable, and hold ourselves prepared to replace, on proper proof, all that prove untrue, we do not give any warranty, expressed or implied; and in case of any error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the goods. No complaints will be considered that are not made within ten days after receipt of stock.

THIRD.—The prices annexed include packing and delivery to Express or Freight Station.

Our terms are cash, unless by special agreement. We can ship by express C. O. D., when desired, with charges for collection added to the bill—provided 20 per cent. of the amount of the order accompanies the same as a guarantee. Said guarantee will be required only from parties with whom we have no business acquaintance. All bills remaining unpaid December 1st in fall, and June 1st in spring, will be subject to sight draft without further notice.

Ornamental Department.

NOTE.—In compiling this list, we have endeavored to include only such varieties of stock as we have now in our nurseries, in the sizes and quantities offered. In filling orders, we shall grade stock according to these specifications. Should orders be received for sizes not found in this list, or should any specified grade be exhausted, we will send the nearest size we have in stock at the time the order is received and charge accordingly, unless otherwise advised.

DECIDUOUS TREES.

Under this head we include both upright and drooping forms of trees which shed their foliage in Winter. Our shade trees have all been several times transplanted and are as good as can be grown.

		_	
ACER. (Maple.)	Each	Per 10	Per 100
campestris. English Cork-bark Maple.			
5 to 6 ft	\$ 50	\$4 00	\$30,00
6 to 8 ft	75		
colchicum. 4 to 5 ft	60		
dasycarpum. Silver-leaved Maple.			
, 8 to 10 ft	50	4 00	35 00
10 to 12 ft	75	6 00	
12 to 15 ft	1 00	9 00	
d. var. Wierii. Wier's Cut-leaved			
Maple. 8 to 10 ft	75	6 00	50 00
10 to 12 ft	1 25	10 00	
12 to 15 ft	2 00	15 00	
Specimens \$2 50 to \$5 00 each.			
Negundo. Ash-leaved Maple.			
12 to 14 ft	75	5 00	
platanoides. Norway Maple.			
8 to 10 ft	90	7 50	60 00
10 to 12 ft	1 50	10 00	
12 to 14 ft	2 00	15 00	
14 to 16 ft	3 00	25 00	
Specimens, \$3 00 to \$5 00 ac-			
cording to size.			
p. var. Schwedlerii. Purple-leaved			
Norway Maple, 6 to 8 ft	1 00	7 50	
8 to 10 ft	1 50		
polymorphum. Japanese Maple.			
3 ft	1 50	10 00	
p. var. atropurpureum. Japanese			
Blood-leaved Maple, 21-2 to 3 ft.	2 50	20 00	
p. var. atro. dissectum. Cut-leaved			
Purple Japan Maple. 2 to 3 ft	3 00	25 00	
p. var. aureum. Golden-leaved	0 00	20 00	
Japan Maple. 2 to 3 ft	2 50	20 00	
pseudo platanus. Sycamore Maple.	_ 30	20 00	
8 to 10 ft	90	7 50	
10 to 12 ft	1 00	9 00	
10 00 12 10	1 00	0 00	

		D 40	D 400
p. p. var. purpureum. Purple-leaved	Each	Per 10	Per 100
Sycamore Maple. 8 to 10 ft	1 50	12 50	
10 to 12 ft	2 00	15 00	
rubrum. Red or Scarlet Maple.	2 00	10 00	
8 to 10 ft	1 00	7 50	
10 to 12 ft	1 50	12 50	
saccharinum. Sugar or Rock Maple.	1 00	12 00	
8 to 10 ft	1 00	7 50	60 00
10 to 12 ft	1 25	10 00	90 00
12 to 14 ft	2 00	15 00	30 00
14 to 15 ft	3 00	25 00	
Specimens, 15 to 18 ft. \$4 00 to	3 00	20 00	
\$6 00 according to size.			
	50	1 50	
spicatum. Mountain Maple. 3 to 4 ft	50	4 50	
, 4 to 5 ft	75	7 70	
striatum. Striped Maple. 5 to 6 ft	1 00	7 50	
AESCULUS. (Horse Chestnut.)			
hippocastanum. European Horse			
Chestnut. 6 to 8 ft	1 00	7 50	
8 to 10 ft	1 50	12 50	
h. var. rubicunda. Red-flowering.			
4 to 5 ft	1 00	9 00	
6 to 8 ft	1 50	12 50	
10 to 12 ft	3 00		
h. var. alba flora plena. Double white.			
5 to 7 ft	1 00	9 00	
AILANTHUS. (Tree of Heaven.)	2 00		
glandulosa. 4 to 5 ft	50	4 50	
8 to 10 ft	75	5 00	
ALNUS. (Alder.)	10	0 70	
glutinosa. Common Alder. 6 to 8 ft.	50	4 00	
	90	4 00	
g. var. imperialis. Imperial Cut-	7 00	7 50	
leaved Alder. 8 to 10 ft	1 00	7 50	
AMELANCHIER. (Mespilus, or June-			4
berry.)	0.5		
Botryapium. Shad-bush. 2 to 3 ft	25	2 00	
3 to 4 ft	40	3 50	
ARALIA. (Angelica Tree.)			
pentaphylla. (See Shrubs.)			
spinosa. Hercules' Club. 3 to 4 ft	50	4 50	30 00
4 to 5 ft	75	5 00	
BETULA. (Birch.)			
alba. European White Birch. 6 to 8 ft	60~	5 00	40 00
8 to 10 ft	75	6 00	50 00
alba var. atropurpureum. Purple-			
leaved. 4 to 5 ft	1 00	8 00	
5 to 6 ft	1 50		
alba var. lacineata. Cut-leaved.			
Weeping. 4 to 5 ft	1 00	9 00	
6 to 8 ft	1 50	12 50	
alba var. pendula Youngii. Young's	_ 00	00	
Weeping Birch. 4 to 6 ft	2 00	15 00	
6 to 7 ft specimens	2 50	10 00	
6 to 7 ft., specimens lutea. Yellow Birch. 5 to 6 ft	50	4 00	35 00
6 to 7 ft	75	6 00	50 00
0 10 1 10	10	0 00	00 00

	Each	Per 10	Per 100
papyracea. Paper or Canoe Birch.			
6 to 8 ft	60	5 00	40 00
8 to 10 ft	$\frac{90}{150}$	7 50 12 50	60 00
10 to 12 ftpopulifolia. American Gray Birch.	1 90	12 50	
6 to 8 ft	75	6 00	50 00
8 to 10 ft	1 00	9 00	00 00
CARPINUS. (Hornbeam.)			
Americana. 4 to 5 ft	50	4 00	
5 to 6 ft	75	6 00	
betulus. 4 to 5 ft	50	4 00	
CARYA. (Hickory.)	4 00	0.00	
alba. Shell-bark Walnut. 2 ft	1 00	9 00	
CASTANEA. (Chestnut.)	F.0	4 00	25 00
Americana. 5 to 6 ft	50 75	$\frac{4}{6} \frac{00}{00}$	35 00 50 00
6 to 8 ft	1 00	9 00	50 00
10 to 12 ft	1 50	0 00	
vesca. Spanish Chestnut. 4 to 5 ft	1 00	7 50	
CATALPA. (Indian Bean.)			
Bungel, Bunge's Catalna, 5 to 7 ft			
2 yr. heads, very fine	1 50	12 50	
speciosa. Western Catalpa. 6 to 8 ft.	60	5 00	40 00
8 to 10 ft	90	7 50	
10 to 12 ft	1 50	12 50	
CELTIS occidentalis. (Nettle Tree.)	75	5 00	40 00
6 to 8 ft	19	5 00	40 00
Japonica var. rosea pendula. Jap-			
anese Rose-flowering Weeping			
Cherry, 5 to 6 ft., 2 yrs, heads	1 75	15 00	
Rexi flore plena. 4 to 5 ft	75	6 00	
Sieboldi rubra plena. 4 to 5 ft	75	6 00	
serotina. Wild Cherry. 8 to 10 ft.	75	6 00	
10 to 12 ft	1 00	9 00	
CERCIS. (Judas Tree, or Red Bud.) Canadensis. American Judas Tree.			
3 to 4 ft	50	4 00	
4 to 5 ft	75	6 00	
CHIONANTHUS. (Fringe Tree.)		0 00	
Virginica. White Fringe. 2 to 3 ft	40	3 50	
4 to 5 ft	75	6 00	
CLADRASTIS. (Yellow Wood.)			
tinctoria syn. Virgilia lutea.			
4 to 5 ft	75	6 00	
6 to 8 ft	1 00 1 50	$\frac{9}{12} \frac{00}{50}$	
8 to 10 ft	1 90	12 30	
CORNUS. (Dogwood.) florida. White Flowering Dogwood.			
	50	4 00	30 00
3½ to 4 ft	60	5 00	40 00
4 to 5 ft	75	6 00	
CRATAEGUS. (Thorn.)			
Azarolus var. Carrierii. 5 to 6 ft	75	6 00	00.00
circinata. (New.) 4 to 5 ft	35	3 00	20 00

	Each	Per 10	Per 100
coccinea. American White Thorn.			Contract of
3 to 4 ft	40	3 50	30 00
4 to 5 ft	60	5 00	45 00
5 to 6 ft	75	6 00	25 00
Crus-galli. Cockspur Thorn. 3 to 4 ft. 4 to 5 ft	50 75	4 00 6 00	35 00
Fortunei. (New.) 3 to 4 ft	50	4 00	
mollis. 4 to 5 ft	50	4 00	
nitida. 4 to 5 ft	50	4 00	
Oxycantha. Common Hawthorne.			
3 to 4 ft	40	3 00	25 00
4 to 5 ft	50	4 00	
Oxy. coccinea flore pleno Paulii.			
Paul's Double Scarlet Thorn. 4 to 5 ft	75	6 00	
5 to 7 ft	1 00	9 00	
Oxy. var. flore alba pleno. Double	1 00	0 00	
White Thorn. 4 to 5 ft	75	6 00	
5 to 7 ft	1 00	9 00	
tomentosa. 3 to 4 ft	50	4 00	30 00
CYTISUS. (Golden Chain.)		0.00	
Laburnum. 6 to 7 ft	75	6 00	
FAGUS. (Beech.)			
ferruginea. American Beech. 3 to 4 ft	75	6 00	
sylvatica. European Beech. 3 to 4 ft.	60	5 00	
4 to 5 ft	90	7 50	
6 to 8 ft	1 50	12 00	
s. var. heterophylla. Fern-leaved			
Beech. 4 to 5 ft	2 00		
s. var. pendula. Weeping Beech.	9 00		
5 to 6 fts. var. purpurea. Purple-leaved Beech	2 00		
4 to 5 ft	1 00	9 00	
6 to 7 ft	1 25	10 00	
s. var. purpurea pendula	3 00		
s. var. Riversii. Rivers' Purple Beech.			
4 to 5 ft	1 50	12 50	
6 to 7 ft	2 00	15 00	
FRAXINUS. (Ash.)			
American White Ash.			
8 to 10 ft	60		
10 to 12 ft	1 00	7 50	
GLEDITSCHIA. (Honey Locust.)			
triacanthos. 3 to 4 ft	25	2 00	15 00
4 to 5 ft	35	2 50	20 00
GYMNOCLADUS. (Kentucky Coffee			
Tree.)	7E	F 00	
Canadensis. 6 to 8 ft	.75	5 00	
KOELREUTERIA. (Varnish Tree.) paniculata. 3 to 4 ft	60	5 00	
LARIX. (Larch.)	00	. 9 00	
Europaea, European Larch, 3 to 4 ft.	50	4 00	
4 to 5 ft	75	6 00	

	Each	Per 10	Per 100
LIRIODENDRON.	Buch	10110	101100
Tulipifera. Tulip Tree. 5 to 6 ft	60	5 00	
6 to 8 ft	1 00	9 00	
LINDEN. (See Tilia.)			
MAGNOLIA.			
acuminata. Cucumber Tree. 4 to 5 ft.	75	6 00	
7 to 8 ft	1 00	9 00	
alba superba. 3 to 4 ft., with ball.	2 00	17 50	
Kobus. Thurber's Japanese Magnolia	1 00	9 00	
2 to 3 ft Lennei. 3 to 4 ft., with ball	2 00	17 50	
soulangeana. Soulange's Magnolia.	2 00	11 00	
3 to 4 ft., with ball	2 00	17 50	
speciosa. 3 to 4 ft., with ball	2 00	17 50	
Stellata (Halleana). 3 ft., with ball.	2 50	20 00	
MORUS. (Mulberry.)			
alba var. Tartarica rubra. Russian		0.00	
Mulberry. 6 to 8 ft	75	6 00	
alba var. Tartarica pendula. Teas'			
Weeping Mulberry. 5 to 6 ft., 2 yr. heads	1 50	12 50	
New American. 5 to 7 ft	1 00	9 00	
PHOTINIA.	1 00		
villosa. 3 to 4 ft	30	2 50	
4 to 5 ft	50	4 00	
PLATANUS. (Plane Tree.)			
orientalis. Oriental Plane. 6 to 8 ft.	60 -	5 00	45 00
8 to 10 ft	1 00	7 50	10 00
POPULUS. (Poplar.)			
alba. White or Silver Poplar.			
6 to 8 ft	50	4 00	
8 to 10 ft	7-5	6 00	
alba var. Bolleana. Bolleana Poplar.			
6 to 8 ft	60	5 00	
8 to 10 ft	75	6 00	50 00
10 to 12 ft	1 00	9 00	
fastigiata. Lombardy Poplar.	F0	4 50	25 00
8 to 10 ft	50 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35 00 50 00
monilifera. Carolina Poplar.	19	0 00	90 00
8 to 10 ft	50	4 50	40 00
10 to 12 ft	75	6 00	A
PRUNUS. (Plum.)			
Pissardii. Purple-leaved Plum.			
3 to 4 ft	30	2 50	20 00
4 to 5 ft	50	4 00	30 00
5 to 6 ft	75	5 00	
triloba. Double-flowering Plum.		0.00	
2 to 3 ft	40	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3 to 4 ft	50	4 00	
PTELEA. (Hop Tree.)			
trifoliata. 3 to 4 ft	40	3 00	25 00
t. var. aurea. Golden Hop Tree.	F0	1 00	
4 to 5 ft	50	4 00	

DVDIIC (Flowening Cook)	Each	Don 10	Don 100
PYRUS. (Flowering Crab.) mollis floribunda atro sanguinea.	Hach	Per 10	Per 100
4 to 5 ft	75	5 00	
Augustifolia. Bechtel's Double Flow-	4		
ering Crab. 3 to 4 ft	75	6 00	
PYRUS—Sorbus. (Mountain Ash.)			
Americana. American Mountain Ash.			
3 to 4 ft	50	4 00	35 00
4 to 5 ft	75	6 00	50 00
6 to 8 ft	90	8 00	
aucuparia. European Mountain Ash.	0.0	F '00	
6 to 7 ft	60	5 00	
8 to 10 ftquercifolia. Oak-leaved Mountain Asl	90	8 00	
6 to 8 ft	90	8 00	
QUERCUS. (Oak.)	30	0 00	
alba. White Oak. 5 to 7 ft	1 50	12 50	
bicolor. Swamp White Oak.	1 00	- /	
10 to 12 ft	2 00	15 00	
palustris. Pin Oak. 5 to 6 ft	75	6 00	
6 to 7 ft	1 00	9 00	
Prinus. Chestnut Oak. 6 to 7 ft	1 00	9 00	
Robur. English Oak. 6 to 7 ft	75	6 00	
8 to 10 ft	1 00	9 00	
R. var. concordia. Golden Oak.	4 50		
5 to 6 ftrubra, Red Oak, 5 to 6 ft	-1 50	C 00	FO 00
6 to 8 ft	75 1 00	6 00 9 00	50 00
8 to 10 ft	1 50	12 50	
Specimens, 10 to 12 ft	2 00	12 50	
ROBINIA. (Locust.)	2 00		
Pseud-acacia. Black or Yellow Locust			
8 to 10 ft	75	6 00	
SALISBURIA. (Maidenhair Tree, or			
Gingko.)			
adiantifolia. 6 to 8 ft	75	6 00	
8 to 10 ft	1 00	9 00	
SALIX. (Willow.)			
alba. Common White Willow.	30	2 50	20 00
5 to 6 ft	50	4 00	30 00
Babylonica. Weeping Willow.	30	1 00	50 00
8 to 10 ft	75	6 00	
capraea var. pendula. Kilmarnock			
Weeping Willow. 1 year heads.	75	6 00	
elegantissima. Thurlow's Willow.			
6 to 8 ft	60	5 00	
pentandra. Laurel-leaved Willow.		1 1 1 1 1 1 1	
4 to 5 ft	25	2 00	15 00
5 to 6 ft	40	3 00	25 00
6 to 8 ft	50	4 00	35 00
vitellina. Golden-barked Willow. 4 to 5 ft	25	2 00	15 00
5 to 6 ft	40	3 00	25 00
6 to 7 ft	50	4 00	35 00
SASSAFRAS—Officinalis.	00	1 00	00 00
4 to 5 ft	75		

	Each	Per 10	Per 100
SOPHORA. Japan Pagoda Tree.	~ .	4 00	
Japonica. 2 to 3 ft	50	4 00	
SYRINGA. (Lilac.)		4 00	
Japonica. Japan Tree Lilac. 3 to 4 ft.	50	4 00	
4 to 5 ft	75	6 00	
5 to 6 ft	1 00	9 00	
Pekinensis. Chinese Lilac. 6 to 7 ft.	1 00		
TAXODIUM. (Deciduous Cypress.)			
distichum. 4 to 5 ft	. 75		
5 to 6 ft	90		
TILIA. (Linden.)	< ·		
Americana. Basswood. 6 to 8 ft	75	6 00	
8 to 10 ft	1 00	9 00	
argentea. White-leaved Linden.			
7 to 8 ft	1 00	9 00	
Europaea, European Linden.		•	
6 to 8 ft	75	6 00	
8 to 10 ft	1 00	9 00	
10 to 12 ft	1 25	10 00	
E. var. dasystyla. Hairy-styled Lin-			
den. 6 to 8 ft	75	6 00	
E. var. laciniata. Fern-leaved Linden.			
8 to 9 ft	1 00	9 00	
ULMUS. (Elm.)			
Americana. American White Elm.			
6 to 8 ft	50	4 00	35 00
8 to 10 ft	75	6 00	50 00
10 to 12 ft	1 00	9 00	
12 to 15 ft	2 00		
montana. Scotch or Witch Elm.			
8 to 10 ft	1 00	9 00	
12 to 14 ft	2 00	15 00	
m. var. Huntingdoni. Huntingdon			
Elm. 6 to 8 ft	75	6 00	
8 to 10 ft	1 00	9 00	
VIRGILIA. (See Cladrastis.)			
(2000)			

EVERGREEN TREES.

These evergreens are all thrifty and heavily rooted, having been root pruned and several times transplanted.

	Each	Per 10	Per 100
ABIES. (Fir.)			
balsamea. Balsam Fir. 2 to 3 ft	\$ 50	\$4 50	
3 to 4 ft	75	6 00	
Canadensis, Hemlock, (See Tsuga			
Canadensis.)			
concolor. White Fir. 18 to 24 in	1 50		
3 ft	4 00	35 00	
3½ ft	5 00		
Specimens, \$6 00 to \$10 00 each.			
Fraseri, Double Balsam Fir.			
2 to 3 ft	50	4 00	
3 to 4 ft	75	5 00	

Nandananiana Nandanania Tin	Each	Per 10	Per 100
Nordmanniana. Nordman's Fir. 18 in	\$ 75	\$ 6 00	\$50 00
18 to 24 in	1 25	10 50	φου σσ
2 to 2½ ft	2 00	17 50	
2½ to 3 ft	3 00	25 00	
Specimens, 3 to 4 ft., \$4 00 to			
\$6 00 each.			
CHAMAECYPARIS. (See Retinospora.			
JUNIPERUS. Juniper.	4 00	•	
communis var. aurea. 24 to 30 in	1 00	9 00	75 00
com. var. Hibernica. Irish Juniper.	50	4 00	20.00
2 to 2½ ft	75	6 00	30 00
com. var. suecica. Swedish Juniper.	1.0	0 00	
2 to 3 ft	50	4 00	
Japonica aurea. 2 ft	1 50	1 00	
Virginiana. Red Cedar. (twice	_ 00		
transplanted). 18 to 24 in	30	2 50	20 00
24 to 30 in	. 40	3 50	30 00
30 to 36 in	60	5 00	45 00
3 to 4 ft	75	6 00	
4 to 5 ft	1 00.	9 00	
V. glauca. 3 ft	2 00	17 50.	
3 to 4 ft	2 5 0		
LARIX. (See Deciduous Trees.)			
PICEA. (Spruce.) alba. White Spruce. 2 to 3 ft	~~	= 00	
alba. White Spruce. 2 to 3 ft	75	5 00	40 00
Alcockiana. Alcock's Spruce. 3 ft Engelmanni. Engelmann's Spruce.	1 50		
18 to 24 in	60	4 50	
24 to 30 in	1 00	9 00	
excelsa. Norway Spruce. 2½ to 3 ft.	60	5 00	45 00
3 to 4 ft	90	8 00	x9 00
4 to 5 ft	1 25	10 00	
excelsa var. inverta. Weeping			
Spruce. 3 to 4 ft	2 00		
excelsa var. Remonti. 12 to 18 in.	1 00		
polita. Tiger-tail Spruce. 2 ft	1 25		
3 ft	2 00		
pungens var. glauca. Colorado Blue			
Spruce.	0 00		
18 to 24 in. specimens	2 00 3 50		
24 to 30 in. specimens	4 50		
30 to 36 in. specimens	6 00		
36 to 42 in specimens	0 00		
Austriaca. Austrian or Black Pine.			
2 to 3 ft	75	6 00	
3 to 4 ft	90	7 50	60 00
4 to 4½ ft	1 50		
Mughus. Dwarf Mountain Pine.			
12 to 15 in	60	5 00	40 00
15 to 18 in	75	6 00	
Strobus. White Pine.	, -		
18 to 24 in	40	3 50	30 00
2½ to 3 ft	75	6 00	
10			

10

	Each	Per 10	Per 100
sylvestris. Scotch Pine.	pag par	0 00	F0 00
3 to 4 ft	$\begin{array}{c} 75 \\ 1 \ 25 \end{array}$	6 00	50 00
4 to 5 ft	T 29		
PSEUDO TSUGA.			
Douglasii. Douglas Spruce. 3 to 4 ft	1 25	10 00	
4 to 5 ft	1 50	12 50	
5 to 6 ft	2 00	12 00	
RETINOSPORA. (Japan Cypress.)	_		
ericoides. Heath-leaved Cypress.			
18 to 24 in	40	3 50	
filifera. Thread-branched Japan Cy-			
press. 18 to 24 in	60	5 00	40 00
Specimens, 4 to 5 ft., \$3 00 to \$5 00			
obtusa. Obtusa-leaved Japan Cypress.			
2½ to 3 ft	1 50	12 50	
o. var. nana. 18 to 24 in	2 00		
pisifera var. aurea.			
18 to 24 in	50	4 50	
24 to 30 in	75	6 00	
30 to 36 in	1 50	12 50	
3 to 4 ft	2 50		
plumosa. Plum-like Japan Cypress.	50	4 50	40 00
12 to 18 in	1 50	$\frac{4}{12} \frac{30}{00}$	40 00
3 to 4 ftplumosa aurea. A golden form of	1 90	12 00	
plumosa. 2 to 2½ ft	1 00	9 00	
2½ to 3 ft	1 50	12 50	
sphaeroidea. White Cedar. 6 ft	1 50	10 00	
squarrosa (Veitchi). 18 to 24 in	75	6 00	
2 ft	1 00	9 00	
3 to 4 ft	1 50	12 50	
4 ft., specimens	3 00		
SCIADOPITYS. (Umbrella Pine.)			*
18 in	3 00		
24 in	4 00		
THUYOPSIS. (Cypress.)			
dolobrata. 2 ft	1 00		
Standishi. 3 ft	1 50		
THUYA. (Arbor Vitae.)	_		
occidentalis. American Arbor Vitae.			
2 to 2½ ft	30	2 50	20 00
2½ to 3 ft	40	3 50	30 00
3 to 3½ ft	50	4 50	40 00
3½ to 4 ft	75	6 00	55 00
4 to 5 ft	1 00 -	9 00	
oc. var. aurea. Geo. Peabody's Arbor	75	6 00	
Vitae. 18 to 24 in	75	-6 00	
18 in	50	4 00	
24 in	75	6 00	
oc. var. Hoveyii. Hovey's Golden	-	0 00	
Arbor Vitae. 2 to 3 ft	50	4 00	
oc. var. Lobbi aurea. 2½ to 3 ft	1 00	9 00	

oc. var. pyramidalis. Pyramidal Arbor Vitae.	Each	Per 10	Per 100
2½ to 3 ft	60	5 00	
3 to 3½ ft	75	6 00	
oc. Sibirica. Siberian Arbor Vitae.			
18 to 24 in	50	4 50	40 00
2 to 2½ ft	75	6 00	
2½ to 3 ft	1 50		
oc. var. Vervaeneana. 18 to 24 in.	50	4 50	
3 to 4 ft., with ball	1 50	12 50	٠,
Canadensis. Hemlock.			,
18 to 24 in	50	4 00	35 00
24 to 36 in	75	6 00	
EVERGREEN SHRU	JBS.		
	Each	Per 10	Per 100
catesbaei. (See Leucothoe.) Florabunda. 12 to 15 in	1 50	19 50	
Janonica 15 to 18 in	1 50	$\begin{array}{ccc} 12 & 50 \\ 7 & 50 \end{array}$	
Japonica. 15 to 18 in	1 00	1 90	
aquifolia, or Mahonia. Ashberry.			
12 to 18 in	30	2 50	20 00
BUXUS-Box.			
Tree Box. Pyramid Shape.			
3½ to 4 ft., with ball	4 00	35 00	
4 to 5 ft., with ball Standard Box. 18 to 24 in. heads,	5 00	45 00	
2½ to 3 ft. stems	4 50	40 00	
Dwarf Box. Very heavy	4 90	1 00	8 00
COTONEASTER microphylla.		1 00	0 00
12 to 18 in		2 00	15 00
DAPHNE cneorum.			
6 to 8 in	50	4 50	
8 to 10 in. (bushy)	75	6 00	
EUONYMUS. (Spindle Tree.) radicans. Creeping Euonymus.			
4 vrs strong	25	2 00	15 00
4 yrs., strongvariegata. 3 yrs	$\frac{25}{25}$	$\frac{2}{2} \frac{00}{00}$	19 00
HEDERA. (Ivy.)	20	2 00	
helix. English Ivy. XX	40	2 50	
ILEX. (Holly.)			
glabra. Inkberry. 12 in. clumps	75	5 00	
opaca. American Holly. 18 to 24 in	1 00	7 50	
3 to 4 ft	2 00	15 00	
KALMIA. (Laurel.) latifolia. Mountain Laurel.			
18 to 24 in	2 00	15 00	
2 to 3 ft., \$2 00 to \$3 00 each.	2 00	19 00	
By the carload, in sizes to suit,			
prices on application.			
LEUCOTHOE.			
Catesbaei. (syn. Andromeda Catesbae			
15 to 18 in	50	4 50	40 00
MAHONIA aquifolia.			
(See Berberis aquifolia.)			

Per 10	Per 100
10.50	
45 00	
a large	stock of
	Per 10
1 50	10 00
2 00	15 00
3 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
. 5 00	40 00
ie	
ie rate pe	er 100.
e rate pe Per 10	
_	
_	
Per 10	
Per 10	
Per 10	
Per 10 . \$2 50 . 3 00	
Per 10	
Per 10 . \$2 50 . 3 00 . 7 50	Per 100
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00	Per 100
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00 3 00	Per 100 18 00 25 00
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00	Per 100
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00 3 00	Per 100 18 00 25 00
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00 3 00 . 4 00	Per 100 18 00 25 00
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00 3 00 . 4 00	Per 100 18 00 25 00
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00 3 00 . 4 00 . 10 00 . 15 00	Per 100 18 00 25 00
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00 3 00 . 4 00 . 10 00 . 15 00 . 20 00	Per 100 18 00 25 00 30 00
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00 3 00 . 4 00 . 10 00 . 15 00 . 20 00 . 9 00	Per 100 18 00 25 00
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00 3 00 . 4 00 . 10 00 . 15 00 . 20 00	Per 100 18 00 25 00 30 00
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00 3 00 . 4 00 . 10 00 . 15 00 . 20 00 . 9 00 d,	18 00 25 00 30 00
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00 3 00 . 4 00 . 10 00 . 15 00 . 20 00 . 9 00 d, . 7 50	18 00 25 00 30 00 75 00 60 00
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00 3 00 . 4 00 . 10 00 . 15 00 . 20 00 . 9 00 d, . 7 50 . 10 00	18 00 25 00 30 00
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00 3 00 . 4 00 . 10 00 . 15 00 . 20 00 . 9 00 d, . 7 50 . 10 00 . 20 00 . 20 00	18 00 25 00 30 00 75 00 60 00
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00 . 3 00 . 4 00 . 10 00 . 15 00 . 20 00 . 9 00 d ,	18 00 25 00 30 00 75 00 60 00
Per 10 . \$2 50 . 3 00 . 7 50 . 2 00 3 00 . 4 00 . 10 00 . 15 00 . 20 00 . 9 00 d, . 7 50 . 10 00 . 20 00 . 20 00	18 00 25 00 30 00 75 00 60 00
	12 50 17 50 25 00 a large anging fr Each

	Per10	Per 100
	7 50	60 00
calendulacea. 18 to 24 in		
lutea. 12 to 18 in	6 00	$50 \ 00$
18 to 24 in	7 50	$65 \ 00$
nudiflora. 18 to 24 in	7 50	60 00
Vasevi. 18 to 24 in	7 50	60 00
Vaseyi. 10 to 24 in	6 00	50 00
viscosa. 12 to 18 in	0 00	50 00
BACCHARIS. (Groundsel Tree.)		
halimifolia. 2 to 3 ft	2 50	$20 \ 00$
BENZOIN. Benzoin. 18 to 24 in	2 50	
BERBERIS. (Barberry.)		
Thunbergii. Japanese Barberry.		
12 to 15 in	1 50	$12 \ 00$
15 to 18 in	2 00	15 00
18 to 24 in	2 50	20 00
24 to 30 in	3 00	25 00
30 to 36 in	4 00	30 00
2 to 3 ft	1 20	10 00
vulgaris. Common Barberry. 18 to 24 in	2 00	15 00
vulgaris var. purpurea. Purple-leaved Bar-		
berry, 18 to 24 in	2 00	15 00
0 4- 0 4		
2 to 3 ft	2 50	20 00
3 to 4 ft	3 50	
BAYBERRY. (See Myrica.)		
CALYCANTHUS. (Sweet Shrub.)		
	0 00	4 = 00
floridus. Carolina allspice. 15 to 18 in	2 00	15 00
18 to 24 in	2 50	$20 \ 00$
CARAGANA. (Siberian Pea.)		
arborescens. 3 to 4 ft	3 50	
4 to 5 ft	5 00	
CEANOTHIC (New Toward Too)	9 00	
CEANOTHUS. (New Jersey Tea.)		
Americanus. Red Root. 2 ft	2 50	
CELTIS. (See Deciduous Trees.)		
CEPHALANTUS. (Button Bush.)		
occidentalis. 2 to 3 ft	2 50	
3 to 3½ ft		
	3 50	
CERCIS. (See Deciduous Trees.)		
CHIONANTHUS. (See Deciduous Trees.)		
CLETHRA. (White Alder.)		
alnifolia. Sweet Pepper Bush. 2 to 2 1-2 ft.	2.50	20 00
2½ to 3 ft	3 00	25 00
		25 00
3 to 4 ft	4 00	
COLUTEA. (Bladder Senna.)		
arborescens. 2½ to 3 ft	2 50	20 00
3 to 4 ft	3 00	25 00
COMPTONIA. (Sweet Fern.)	9 00	20 00
asplenifolia. 18 to 24 in	0 50	20.00
	2 50	20 00
CORNUS. (Cornel or Dogwood.)		
alba. Siberian Dogwood. 2 to 3 ft	2 50	20 00
3, to 4 ft	3 00	25 00
4 to 5 ft	4 00	
alba var. elegantissima. Variegated-leaved.	4 00	
2 to 21/ ft		05.00
2 to 2½ ft	4 00	35 00
alternifolia. Blue Dogwood. 2½ to 3 ft	3 50	30 00
mascula. Cornelian Cherry. 2 to 2 1-2 ft	2 50	20 00
paniculata. Gray Dogwood. 2 to 3 ft	2 50	20 00
3 to 4 ft	3 50	30 00

Catalogue and 1.100 Elot 1000	·			
	Per	10 Pe	r:	100
sanguinea. Red Osier. 2½ ft to 3 ft	\$2 !	50 \$2	0	00
sanguinea. Red Osier. 2½ ft to 3 ft sericea. Silky Cornel. 3 to 4 ft	2 5	0 2	0	0.0
4 It	3 5	50 3	0	00
stolonifera. Spreading Cornel. 21/4 to 3 ft.	2 5	0 2	0	0.0
3 to 3½ ft	3 6	0 2	5	00
CYDONIA. (Japan Quince.)				
Japonica. 18 to 24 in	2 0	0 1	5	00
24 to 30 in	2 5	0 2	0	00
DESMODIUM. (See Lespedeza.)				
DEUTZIA.				
crenata. 2 to 3 ft	2 0	0 1	5	00
3 to 4 ft	2 5		0	00
c. var. Pride of Rochester. 2 to 3 ft	2 0			00
3 to 4 ft	2 5			00
c. var. Watereri. 2 to 3 ft	2 5			00
gracilis. 12 to 15 in	2 (00
15 to 18 in	2 :			00
	3 0	_		
18 to 24 in			Э	00
g. var. aurea. 18 to 24 in	4 0	-	^	^ ^
Lemoinei. 2 to 3 ft	2 5		0	00
3 to 4 ft	3 5	50		
DIERVILLA. (Weigela.)				
Amabalis. Pink. 3 to 4 ft	3 0			
candida. White Weigela. 3 to 4 ft	3 0	-	5	00
hortensis var. rubra. Bright red. 2 to 3 ft.	2 5	0 2	0	00
3 to 4 ft	3 5	0		
hybrida Desboisi. Deep rose. 3 to 4 ft	3 5	0 3	0	00
h. Eva Rathke. Dark red. 2 to 2½ ft	4 0	0 3	5	00
h. Lavallei. Reddish purple. 2 to 3 ft h. Mme. Tillier. Pale Rose. 3 to 4 ft	2 5	0		
h. Mme. Tillier. Pale Rose. 3 to 4 ft	3 5	0 3	0	00
h. Mons. Lemoine. Flesh, changing to deep				
red. 2 to 3 ft	2 5	0 20	0	00
3 to 4 ft	3 5	_	•	•
Kosteriana foliis variegatis. Variegated-	0 0	~		
Kosteriana foliis variegatis. Variegated-leaved Weigela. 2 to 3 ftrosea. Rose-colored Weigela. 2 to 3 ft	3 0	0 2	5	00
rosea. Rose-colored Weigela 2 to 3 ft	2 5		0	00
3 to 4 ft	3 0		5	00
r. var. floribunda. Rich crimson. 2 to 3 ft.	2 5		0	
3 to 4 ft	3 5	-	0	
trifida. 18 to 24 in	2 5		U	00
ELAEAGNUS. (Oleaster.)	4 0	U		
longipes. 18 to 24 in	2 0	0 1	_	00
10 ngipes, 10 to 24 m		_		00
2 to 3 ft	3 0	0 25	Э	00
EUONYMUS. (Strawberry Tree.) Americanus. Strawberry Bush. 3 ft	0 =		^	
C 11 PT	2 5	0 20	U	00
Europaeus. Spindle Tree. 4 to 5 ft., specimens	4 0	^ 0	~	^ ^
4 to 5 it., specimens	4 0		5	
nanus. Prostrate Euonymus. 18 to 24 in	2 0	0 18	5	00
EXOCHORDA. (Pearl Bush.)				
grandiflora. 2 to 3 ft	2 5			
3 to 4 ft	4 0	0		
FORSYTHIA. (Golden Bell.)				
Fortunei. 3 to 4 ft	2 5	_	0	
4 to 5 ft	3 5	0 30	0	00
intermedia. (Resembles Suspensa.)				
3 to 4 ft	2 5		0	00
4 to 5 ft	3 5	0 30	0	00
15				

	Pe	r 10	Per	100
suspensa. Weeping Forsythia. 3 to 4 ft			\$20	
4 to 5 ft	3			00
viridissima. 2 to 3 ft	2	50		
			20	00
3 to 4 ft	3	00		
GENISTA. (Broom.)				
tinctoria. 2 to 3 ft	2	0.0	15	0.0
GLEDITSCHIA. (Honey Locust. See under				
Trees.)				
HAMAMELIS. (Witch Hazel.)				
Virginica. 2 to 3 ft	2	50		
3 to 4 ft	3	50		
HALESIA. (Silver Bell.)				
tetraptera. 2 to 3 ft	2	50		
HIBISCUS. (Althaea, or Rose of Sharon.)	_	90		
	2	FO		
Gyriacus. 2 to 3 ft., mixed colors	4	50		
S. alba plena. Double-white Althaea.	0		2.0	
2½ to 3 ft	2	50	20	00
3 to 4 ft	3	50		
S. Boule de Feu. Double, red. 3 to 4 ft	3			
S. Coelestis. Single Violet. 2 to 3 ft	2	50		
S. Duchess de Brabrant. Double, pink.				
2 to 3 ft	2	50	20	0.0
3 to 4 ft	3	50		
S. fl. pl. foliis variegatis. Variegated leaved.				
2 to 3 ft	3	50	30	0.0
S. Jeanne d'Arc. Double, pure white.				
2 to 3 ft	2	50	20	0.0
S. Lady Stanley. Double, blush white.	_	00	20	0.0
5. Lady Stanley. Double, blush white.	0	~ 0	0.0	0.0
2 to 3 ft	2	50	20	0.0
S. purpurea flore plena. Double, purple.	0	~ 0		
3 to 4 ft	3	50		
S. rubra plena. Double, red. 3 to 4 ft	3	50		
S. variegatis flore plena. Double, variegated				
2 1-2 to 3 ft	2	50		
HIPPOPHAE. (Sea Buckthorn.)				
rhamnoides. 3 to 4 ft	2	50	20	00
HYDRANGEA.				
arborescens. 2 to 3 ft		50		
nivea or radiata. 2 to 3 ft	2	50		
paniculata. 2 to 3 ft	2	50		
3 to 4 ft	3	0.0		
paniculata var. grandiflora.				
2 1-2 to 3 ft	2	50	20	00
3 to 4 ft	3	50	30	
Tree Form. 4 to 5 ft		50	00	00
HYPERICUM. (St. John's Wort.)		00		
densiflorum. 18 in	2	50		
Mosieranum, 12 to 15 in		50 50	20	00
	4	90	20	00 .
ILEX. (Holly.)	n	F0	0.0	00
verticillata. Black Alder. 2 ft	2	50	20	00
KERRIA. (Globe Flower. Corchorus.)				
Japonica. Japan Corchorus. 2 to 3 ft		50		
Jap. var. flore plena. 2 to 3 ft	2	50	20	
Jap. var. foliis variegatis. 12 in	2	50	20	00

LEODEDEZA (Danna l'anna)	Per 10	Per 100
LESPEDEZA. (Desmodium.) bicolor. 2 to 3 ft	\$2 50	\$20 00
3 to 4 ft	3 00	25 00
Sieboldi. 2 years, (pendulifloreum)	2 50	20 00
LIGUSTRUM. (Privet.)		-000
Ibota, Chinese Privet.		
18 to 24 in.,	2 00	15 00
2 1-2 to 3 ft	2 50	20 00
media. Japanese Privet. 18 to 24 in	2 00	15 00
24 to 30 in	2 50	20 00
2 to 2 1-2 ft., bushy	3 00	
ovalifolium. California Privet. 2 to 2 1-2 ft., bushy	1 00	6 00
2 1-2 to 3 ft., bushy	1 50	8 00
3 to 3 1-2 ft	2 00	15 00
Special prices in quantity.		20 00
vulgare. European Privet. 2 1-2 to 3 ft	1 50	12 00
3 to 4 ft	2 00	
LONICERA. (Upright Honeysuckle.)		
Alberti, or hispida. 18 to 24 in	2 00	
fragrantissima. 3 ft	2 50	
Morrowii. 3 to 4 ft.,	2 50	20 00
4 to 5 ft	3 50 2 50 -	30 00
3 to 4 ft	3 00	$\begin{array}{cccc} 20 & 00 \\ 25 & 00 \end{array}$
Tatarica. Tartarian Honeysuckle.	5 00	25 00
2 1-2 to 3 ft	2 50	20 00
T. var. alba. 2 1-2 to 3 ft	2 50	20 00
T. var. grandiflora. 2 to 3 ft	2 50	20 00
LYCIUM. (See Climbing Vines.)		
MYRICA. (Bayberry.)		
cerifera. Candleberry. 12 to 18 in gale. Bayberry. 18 to 24 in	$\begin{array}{cccc} 2 & 50 \\ 2 & 00 \end{array}$	4 = 00
24 to 30 in	$\frac{2}{2} \frac{00}{50}$	15 00
PAEONIA. (Tree Paeonia.)	2 30	20 00
. 2	10 00	
PHILADELPHUS. (Syringa, or Mock	10 00	
· Orange.)		
coronarius. Mock Orange. 3 to 4 ft	2 50	20 00
4 to 5 ft	3 00	25 00
c. foliis aurea. Golden Syringa. 12 to 18 in.	2 50	
18 to 24 in	3 00	20.00
Gordonianus. 3 to 4 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00
grandiflorus. 2 1-2 to 3 ft	2 50	$\begin{array}{cccc} 25 & 00 \\ 20 & 00 \end{array}$
3 to 4 ft	3 00	25 00
PHOTINIA. (See Deciduous Trees.)	- 00	20 00
POTENTILLA. (Cinquefoil.)		
fruticosa. 18 to 24 in		15 00
2 to 3 ft	2 50	20 00
PRUNUS. (Plum and Almond.)		
maritima. Beach Plum. 2 to 3 ft		20 00
3 to 4 ft	3 50	
Pissardi. (See Deciduous Trees.)		

Day otate Hurseries		
sinensis. var. alba plena. Dwarf White Almond. 2 to 3 ft	Per 10	Per 100
Almond. 2 to 3 ft	\$3 00	
s. var. rosea plena. Double Pink Almond.		
2 to 3 ft	3 00	
triloba. Double Flowering Plum.		
2 to 3 ft	3 00	
3 to 4 ft	3 50	
PTELEA. (See Deciduous Trees.)		· ·
PYRUS. (Chokeberry.)		
floribunda var. nigra. Black Chokeberry.	9 50	00.00
2 to 2 1-2 ft	$\begin{array}{cccc} 2 & 50 \\ 3 & 00 \end{array}$	20 00
2 1-2 to 3 ft	5 00	$25 \ 00$
RHAMNUS. (Buckthorn.) Carolinianus or frangula. Indian Cherry.		
3 to 4 ft	2 00	15 00
4 to 5 ft	$\frac{2}{2} \frac{50}{50}$	15 00 $20 00$
catharticus. Common Buckthorn.	2 30	- 20 00
3 to 4 ft.\	2 00	15 00
4 to 5 ft	2 50	20 00
RHODORA. (Azalea.)	2 00/	20 00
Canadensis. Canadian Rhodora. 2 to 3 ft	9 00	
RHODOTYPUS. (White Kerria.)	0 00	
kerrioides. 2 to 3 ft	2 50	20 00
3 to 4 ft	3 00	20 00
RHUS. (Sumach.)		
Aromatica. 2 to 2 1-2 ft	3 00	
copallina. Dwarf Sumach. 18 to 24 in	2 00	15 00
2 to 3 ft	2 50	20 00
3 to 4 ft	3 50	-0 40
continus. Purple Fringe. 2 to 3 ft	2 50	20 00
3 to 4 ft	3 50	
glabra. Smooth Sumach. 3 to 4 ft	2 50	20 00
4 to 5 ft	3 50	30 00
g. var. laciniata. Cut-leaved Sumach.		
12 to 18 in	2 50	
typhina. Stag-horn Sumach. 3 to 4 ft	2 50	20 00
4 to 5 ft	3 50	30 00
RIBES. (Currant.)		
aurea. Yellow-flowering Currant. 2 to 3 ft.	2 50	$20 \ 00$
3 to 4 ft	3 00	25 00
sanguineum. Crimson-flowering Currant.	0 =0	
2 to 2 1-2 ft	2 50	20 00
ROSA. (Rose.)	1 50	40.00
blanda. 18 to 24 in	1 50	12 00
24 to 30 in	2 50	20 00
30 to 36 in	3 00	25 00
Carolina. Swamp Rose. 24 to 30 in	$\begin{array}{cccc} 2 & 00 \\ 2 & 50 \end{array}$	15 00
30 to 36 in	$\begin{array}{cccc} 2 & 50 \\ 1 & 50 \end{array}$	20 00
24 to 30 in	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$	12 00
30 to 36 in	$\frac{2}{2} \frac{00}{50}$	$ \begin{array}{cccc} 16 & 00 \\ 20 & 00 \end{array} $
I. alba. 15 in	3 00	25 00
multiflora. 18 to 24 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00 15 00
24 to 30 in	2 50	20 00
nitida. 15 to 18 in	2 00	15 00
18 to 24 in	2 50	20 00
24 to 30 in	3 00	20 00
21 00 00 III	9 00	

	Per 10	Per 100
repens. 3 to 4 ft	2 50	
rubiginosa. Sweet Briar Rose. 2 to 3 ft	2 00	15 00
3 to 4 ft	$2 \ 50$	$20 \ 00$
rubrifolia. Red-leaved Rose. 18 to 24 in	2 00	
2 to 2 1-2 ft	2 50	20 00
rugosa. Ramanas Rose, 12 to 18 in	2 00	15 00
18 to 24 in	2 50	20 00
24 to 30 in	3 00	
rugosa alba. White Ramanas Rose.	5 00	
	2 00	
	2 50	20 00
	3 00	20 00
24 to 30 in	$\frac{3}{2} \frac{00}{50}$	00 00
setigera. Prairie Rose. 3 to 4 ft		20 00
spinosissima	5 00	
Wichuraiana. The Trailing Rose.		
2 yrs., medium	2 00	15 00
RUBUS. (Bramble.)		
odoratus. Flowering Raspberry. 2 to 3 ft	2 00	15 00
3 to 4 ft	2 50	20 00
SAMBUCUS. (Elder.)		
Canadensis. Common Elder. 2 to 3 ft	2 00	-
nigra. European Elder. 3 to 4 ft	2 50	20 00
nigra var. aurea. Golden Elder. 2 to 3 ft	2 00	. = 0
3 to 4 ft	2 50	20 00
nigra laciniata. Cut-leaved Elder. 2 to 3 ft.	2 50	20 00
nigra laciniata. Cut-leaved Elder. 2 to 3 it.	2 50	20 00
racemosus. Red-fruited Elder. 3 to 4 ft	$\frac{2}{2} \frac{50}{50}$	
variegata. 2 to 3 ft	4 90	20 00
SNOWBERRY. (See Symphoricarpus.)		
SPIRAEA. (Meadow Sweet.)	0: 50	20.00
arguta. 3 to 4 ft	2 50	20 00
Billardi. 2 to 3 ft	2 00	15 00
3 to 4 ft	2 50	20 00
Bumalda. 18 to 24 in	2 00	15 00
24 to 30 in	2 50	$20 \ 00$
B. var. Anthony Waterer. 18 to 24 in	2 50	20 00
24 to 30 in	3 00	25 00
collosa var. alba. 15 to 18 in	2 00	15 00
18 to 24 in	2 50	20 00
24 to 30 in	3 00	25 00
c. var. superba. 24 to 30 in	2 50	20 00
crispifolia. 10 to 12 in	2 50	_ 0
opulifolia. Nine Bark. 2 1-2 to 3 ft	2 50	20 00
3 to 4 ft	3 00	25 00
o. var. aurea. Golden Spiraea. 2 to 3 ft	2-00	15 00
3 to 4 ft	2 50	20 00
4 to 5 ft	3 50	20 00
prunifolia flore pleno. Bridal Wreath.	3 90	
	0 50	
2 to 3 ftsorbifolia, Ash-leaved Spiraea, 24 to 30 in.	2 50	
	2 50	45.00
Thunbergi. 18 to 24 in	2 00	15 00
24 to 30 in	2 50	20 00
30 to 36 in	3 00	25 00
Van Houttei. Van Houtte's Spiraea.		
18 to 24 in	2 00	15 00
2 to 3 ft	2 50	20 00
3 to 4 ft	3 00	25 00

STEPHANANDRA.	Per	10	Per	100
flexuosa. 12 to 18 in	\$2	50	1. 01 .	100
24 to 30 in	3	00	25	00
SYMPHORICARPUS. (Snowberry.)				
racemosus. 2 to 2 1-2 ft		00	15	
2 1-2 to 3 ft		50	20	
3 to 4 ft		00	25	00
4 to 5 ft	3	50		
vulgaris. Indian Currant. 2 to 2.1-2 ft.,	2	00	15	۸۸
2 to 2.1-2 ft.,	$\frac{z}{2}$	50	$\begin{array}{c} 15 \\ 20 \end{array}$	
2 1-2 to 3 ft.,	3	00	25	
SYRINGA. (Lilac.)		,,,	20	00
Japonica. (See Deciduous Trees.)				
Josikaea. 2 to 3 ft	3	00		
3 to 4 ft	4	00		
Pekinensis. (See Deciduous Trees.)				
Persica. (Persian Lilac. 2 1-2 to 3 ft		00	25	
Rothomagensis. Rouen Lilac. 2 to 3 ft		00	25	00
3 to 4 ft		00		
villosa. 2 1-2 to 3 ft		$\frac{00}{50}$	9.0	
vulgaris. Common Lilac. 2 1-2 to 3 ft	_	00	$\frac{20}{25}$	
3 to 4 ft		00	40	00
4 ft., bushy	1	00		
vulgaris var. alba. Common White Lilac. 2 to 2 1-2 ft	2	50	20	00
2 1-2 to 3 ft		00	25	
3 to 4 ft	4	00	-0	0.0
Charles X. 2 to 3 ft	2	50		
3 to 4 ft	4			
Lamarck, 2 to 3 ft	3 (00		
Marie LeGray. 2 ft		00		
Michael Buchner, 2 ft		0.0		
Rubra de Marley. 2 ft	3			
Sanguinea. 2 to 2 1-2 ft	3			
Souv. de Ludwig Spaeth. 2 ft	9	50		
TAMARIX. (Tamarisk.) Africana. 3 to 4 ft	2	50		
Gallica 2 to 4 ft	2			
Gallica. 3 to 4 ft		50		
VACCINIUM. (Huckleberry.)				
corymbosum. Blueberry. 3 to 4 ft	7	50	60	00
4 to 5 ft	10	00		
VIBURNUM. (Arrow Root.)				
acerifolium. 18 to 24 in		50		
cassinoides. 2 to 3 ft		00	25	
3 to 4 ft., very bushy		50	40	
4 to 5 ft., specimens		00	90	00
'5 to 6 ft., XX specimens		50	20	00
3 to 4 ft		00	25	
4 to 5 ft		00	۵٠)	()()
lantana. Wayfaring Tree. 2 to 3 ft	3		25	00
3 to 4 ft		50		
Lentago. 2 to 3 ft	3. (25	00
Opulus. High Bush Cranberry. 2 to 3 ft	2		20	00
3 to 4 ft	3	50		

Outurogue una 1 100 Elet 1101		
1.5 (1997)	Per 10	Per 100
Opulus var. nanus. 12 to 15 in		\$20 00
Opulus var. sterile. Common Snowball.		· ·
2 1-2 to 3 ft	3 00	25 00
3 to 4 ft	4 00	35 00
3 to 4 ft	20 00	
plicatum. Japan Snowball. 2 1-2 ft	4 00	35 00
plicatum var. tomentosum. 2 to 3 ft	3 00	25 00
3 to 4 ft	3 50	
4 ft., very heavy	7 50	
WEIGELA. (See Diervilla.)		
XANTHORRHIZA.		
apiifolia. 8 to 12 in	2 50	20 00
12 to 14 in	3 00	
VINES AND CLIMBING SHRUBS.	Per 10	Per 100
	4 00	1 01 100
ACTINIDIA arguta. 2 yrs	5 00	
4 yrs AKEBIA quinata. Very strong	2 50	20 00
AMPELOPSIS. (Woodbine.)	2 30	20 00
quinquefolia. Common Woodbine or Vir-		
ginia Creeper. 4 vrs	2 00	15 00
ginia Creeper. 4 yrsvar. Englemanii. 3 yrs	2 50	20 00
Veitchi. 2 vrs. No. 1	2 00	16 00
Veitchi. 2 yrs. No. 1.	2 50	20 00
APIOS. (Ground Nut.)	- 00	20 00
tuberosa. Wild Wistaria	1 50	10 00
ARISTOLOCHIA. (Pipe Vine.)	- 00	10 00
sipho. Dutchman's Pipe. 3 yrs	7 50	
BIGNONIA. (See Tecoma.)		
CELASTRUS. (Bitter-sweet.)		
scandens, 3 yrs	2 50	20 00
CLEMATIS.		
apiifolia. 2 yrs., strong	. 3 00	
coccinea. 3 yrscrispa. 3 yrs	2 50	
crispa. 3 yrs	2 50	
Duchess of Edinburgh. 2 yrs., field-grown.	5 00	
Henryii. 2 yrs., field-grown	5 00	
Jackmani. 2 yrs., field-grown	5 00	
Madame Andre. 2 yrs., field-grown Madame Baron Villard. 2 yrs., field-grown.	5 00	
Madame Baron Villard. 2 yrs., field-grown.	5 00	
paniculata. 4 yrs	3 50	30 00
3 yrs	2 50	20 00
Ramona, 2 yrs	5 00	
Virginiana. 3 yrs	2 00	15 00
LONICERA. (Honeysuckle.)		
Belgica. Dutch Monthly Fragrant Honey-		
suckle	3 00	25 00
brachypoda. 3 yrs	2 50	
b. var. aurea reticulata. Golden Varie-		
gated Honeysuckle. 3 yrsb. var. Halleana. Hall's Japan Honeysuckle.	2 00	
	9 50	90.00
2 yrssempervirens. Scarlet Trumpet Honeysuckle.	2 50	20 00
3 yrs	3 50	
sinensis. Chinese Evergreen Honeysuckle.		
3 yrs., strong	2 50	
o yla., strong	4 90	

21

	Per 10	Per 100
LYCIUM. (Matrimony Vine.)		
Barbarum. Box Thorn. 2 to 3 ft	. \$2 50	\$20 00
MENISPERMUM. (Moon Seed.)		
Canadense. 4 yrs	2 50	
PERIPLOCA. (Silk Vine.)		
Graeca. Grecian Silk Vine	2 50	
TECOMA. (Trumpet Vine.)		
radicans, or Bignonia	. 2 50	20 00
VITIS. (Grape.)		
heterophylla. 3 yrs., field-grown	2 50	20 00
	Per 10	
Chinensis. Chinese Wistaria, (Blue) 75	6 00	1 01 100
6 to 8 ft., XXX 1 00	9 00	
C. var. alba. Chinese White Wistaria. 75	6 00	
6 to 8 ft., XXX 1 00	9 00	
magnifica. American Wistaria.	000	
(Purple)	4 00	

HARDY ROSES.

During the past few years a large number of new varieties of Roses have been introduced and sold, which have no practical value in our climate. For this reason we take great care to include in our lists only such varieties as are worthy of general cultivation.

Hybrid Perpetual and Other Hardy Varieties. Strong, field-grown plants, \$3.00 per 10; \$20.00 per 100.

Abel Carriere—Rich, velvety crimson, with fiery center. Alfred Colomb—Carmine red; very large and full.

American Beauty—Deep rose; very large; valuable fo forcing.

Anne de Diesbach—Clear, bright rose; large and fragrant.

Baron de Bonstettin—Velvety maroon; large and full. Baroness Rothschild—Bright pink; very large.

Captain Christy—Delicate flesh; darker center.

Clio-Large, flesh-color, shaded with rosy-pink.

Coquette des Alpes-White, tinged with blush. Blooms late.

Countess of Oxford—Carmine red; tinged lilac.

Crested Moss—Deep pink colored buds.

Duke of Albany—Vivid crimson, becoming darker.

Duke of Connaught—Rosy crimson, large.

Duke of Edinburgh—Bright crimson.

Earle of Dufferin-Velvety crimson, shaded maroon.

Fisher Holmes—Brilliant crimson.

Frau Karl Druschki—Pure silvery white.

General Jacqueminot—Bright, scarlet crimson.

Glorie de Dijon—Salmon and yellow.

Glorie de Lyonnaise—Creamy white; tea scented.

Glorie de Margottin—Brilliant scarlet; large; fragrant. Gruss an Teplitz—Scarlet shading to velvety crimson.

Harrison's Yellow—Pure yellow.

Hermosa-Bright rose.

John Hopper—Bright rose, carmine center.

Jules Margottin—Carmine rose.

Kaiser A. Victoria—White, blended with cream.

Lady Helen Stewart-Bright crimson, scarlet.

La France-Silvery rose. The most fragrant of hardy roses.

Mabel Morrison-One of the best white roses.

Mad. Gabriel Luizet—Light, silvery pink.
Mad. Plantier—Pure white; early summer bloomer.

Mad. Caroline Testout-Hybrid tea. Satiny pink.

Mad. Charles Wood-Vivid crimson. Magna Charta-Pink and carmine.

Marchioness of Dufferin-Rosy-pink suffused with yellow.

Marchioness of Londonderry-Flowers of great size, measuring seven inches across. Color, ivory white. One of the finest roses.

Margaret Dickson-White, pale flesh color.

Marie Baumann-Brilliant carmine crimson; large, full; very fragrant.

Mrs. Jno. Laing—Soft pink, fragrant; blooms late in Autumn.

M. P. Wilder-Cherry carmine. Merville de Lyon-Pure white.

Mrs. R. G. Sharman-Crawford-Color, deep rosy-pink; flowers large and perfect; free bloomer.

Paul Neyron—Deep rose; very large.
Perle des Blanches—Pure white.

Persian Yellow-Bright yellow.

Prince Camille de Rohan-Deep velvety crimson.

Soliel d'Or—New. A valuable hybrid, varying in color from gold and orange to reddish gold shaded with nasturtium red.

Ulrich Brunner-Cherry red. A fine rose.

White Baroness-Pure white.

White Moss-Beautiful in the bud; pure white.

CLIMBING ROSES

CLIMBING ROSES.	
	r 100
Baltimore Belle-Pale blush, turning to white;	
blooms in clusters\$2 50	00 02
Queen of Prairie—Flowers double, red, and in	
	00 02
Setigera—The Prairie Rose. Flowers single,	
deep rose, produced in masses through late	
	20 0
Dorothy Perkins—A hardy and vigorous	
climbing rose, bearing clusters from 30 to	
40 flowers like Crimson Rambler. These	
are a fine and striking shade of shell-pink	
in color, and quite double and deliciously	
fragrant. It is absolutely hardy, and is a cross between Rosa Wichurajana and	
76 7 0 7 1	20 00
Mad. G. Hallet 2 90 2	20 00
HARDY RAMBLERS.	
	r 100
Crimson Rambler—Bright crimson, blooming	1 100
	25 00
	10 00
Pink Rambler (Eyphrosyne)—Clear, light red 2 50	
White Rambler (Thalia)—Pure white 2 50	

ROSA RUGOSA HYBRIDS.		
	Per 10	Per 100
Blanc de Coubert—Double white	\$5 00	
Comte d'Epremesnil—Double red	5 00	
Conradi Ferdinand Meyer—Silvery rose Mme. George Bruant—Double white	3 00	95 00
	5 00	25 00
Roseraie de l'Hay—Deep rose, double	5 00	
HYBRID SWEET BRIARS.	Don 10	
Amy Robsart—Deep rose	Per 10 3 00	
Flora McIvor—White, blushed	3 00	
Lady Penzance—Copper	3 00	
Lord Penzance—Yellow	3 00	
Lucy Bertram—Deep crimson	3 00	
Meg Merrilies—Crimson	3 00	
WICHUARIANA HYBRIDS.		
	Per 10	Per 100
Evergreen Gem—Creamy white	2 50	
Gardenia—Cream color	2 50	
Manda's Triumph—Double, white	2 50	20 00
Pink Roamer—Single, pink	2 50	20 00
South Orange Perfection—Double, blush-pink.	2 50	20 00
Universal Favorite—Double, rose	2 50	20 00
	Per 10	Per 100
ADDIEC		
APPLES.		
Extra. 7 to 8 ft., 75 cts. each	5 00	40 00
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each. First Grade. 3-4 in., 5 to 7 ft., 35 cts. each. Varieties: America, Baldwin, Ben Davis, Blue Pearmain, Boiken, Duch. of Oldenburg, Early Harvest, Fallawater, Fameuse, Gilli- flower, Golden Russet, Gravenstein, Grimes' Golden, Gideon, Giffen Beauty, Hub, None- such, Hendrick's Sweet, Jonathan, King, Longfield, Maiden's Blush, Mann, McIntosh Red, Milding, Munson Sweet, Northern Spy, Pewaukee, Paragon, Pound Sweet, Rambo, Red Astrachan, R. I. Greening, Roxbury Russet, Rome Beauty, Sutton Beauty, Senator, Smith's Cider, Smoke House, Sops of Wine, Spitzenburg, Stark, Sweet Bough, Talman Sweet, Wagener, Wealthy, Wolf River, Yellow Bellflower, Yellow Transparent, York Imperial. Porter. 50 cts. each. Williams Favorite. 50 cts. each.	3 50 3 50	
Extra. 7 to 8 ft., 75 cts. each	3 00	
Extra. 7 to 8 ft., 75 cts. each	3 50 3 50	
Extra. 7 to 8 ft., 75 cts. each	3 50 3 50 3 50 3 00	
Extra. 7 to 8 ft., 75 cts. each. First Grade. 3-4 in., 5 to 7 ft., 35 cts. each. Varieties: America, Baldwin, Ben Davis, Blue Pearmain, Boiken, Duch. of Oldenburg, Early Harvest, Fallawater, Fameuse, Gilli- flower, Golden Russet, Gravenstein, Grimes' Golden, Gideon, Giffen Beauty, Hub, None- such, Hendrick's Sweet, Jonathan, King, Longfield, Maiden's Blush, Mann, McIntosh Red, Milding, Munson Sweet, Northern Spy, Pewaukee, Paragon, Pound Sweet, Rambo, Red Astrachan, R. I. Greening, Roxbury Russet, Rome Beauty, Sutton Beauty, Senator, Smith's Cider, Smoke House, Sops of Wine, Spitzenburg, Stark, Sweet Bough, Talman Sweet, Wagener, Wealthy, Wolf River, Yellow Bellflower, Yellow Transparent, York Imperial. Porter. 50 cts. each. Williams Favorite. 50 cts. each. CRAB APPLES. 5 to 7 ft., 35 cts. each. Lyslop, Gen. Grant, Martha, Transcendent. STANDARD PEARS. First Class. 3-4 in., and up. 5 to 7 ft., 60 cts. each.	3 50 3 50 3 50 3 00	
Extra. 7 to 8 ft., 75 cts. each	3 50 3 50 3 50 3 00	25 00
Extra. 7 to 8 ft., 75 cts. each. First Grade. 3-4 in., 5 to 7 ft., 35 cts. each. Varieties: America, Baldwin, Ben Davis, Blue Pearmain, Boiken, Duch. of Oldenburg, Early Harvest, Fallawater, Fameuse, Gilli- flower, Golden Russet, Gravenstein, Grimes' Golden, Gideon, Giffen Beauty, Hub, None- such, Hendrick's Sweet, Jonathan, King, Longfield, Maiden's Blush, Mann, McIntosh Red, Milding, Munson Sweet, Northern Spy, Pewaukee, Paragon, Pound Sweet, Rambo, Red Astrachan, R. I. Greening, Roxbury Russet, Rome Beauty, Sutton Beauty, Senator, Smith's Cider, Smoke House, Sops of Wine, Spitzenburg, Stark, Sweet Bough, Talman Sweet, Wagener, Wealthy, Wolf River, Yellow Bellflower, Yellow Transparent, York Imperial. Porter. 50 cts. each. Williams Favorite. 50 cts. each. CRAB APPLES. 5 to 7 ft., 35 cts. each. Lyslop, Gen. Grant, Martha, Transcendent. STANDARD PEARS. First Class. 3-4 in., and up. 5 to 7 ft., 60 cts. each.	3 50 3 50 3 50 3 00	25 00

outuroguo juria i i i o o o o		
Beauty, Fred'k Clapp, Lawrence, Rossney, Seckel, Sheldon, Tyson, Vicar, Vt. Beauty, Wilder.		Per 100
Burre Bosc.		
First Grade, 75 cts. each	6 50	
Second Size. 50 cts. each		
Dwarf Pears. 3-4 in., 45 cts each Varieties: Bartlett, Anjou, Duchess, Seckel.		
CHERRIES. First Grade. 5 to 6 ft., 75 cts. each Varieties: Black Tartarian, Early Richmond, English Morello, Gov. Wood, Mercer, Mont- morency, Ostheime, Reine Hortense, Rock- port, Windsor, Yellow Spanish.		
FIGURE PLUMS. First Grade. 5 to 7 ft., 75 cts. each Varieties: Abundance, Beauty of Naples, Bradshaw, Burbank, Damson, Lombard, Red June, Satsuma, Wickson, Yellow Egg.	6 50	
PEACHES. 3-4 in., and up, 25 cts. each Varieties: Alexander, Carman, Champion, Crawford's Early, Crawford's Late, Crosby, Early York, Elberta, Foster, Mountain Rose,	2 00	15 00
Early York, Elberta, Foster, Mountain Rose, Old Mixon, Stump, Wheatland.		
QUINCES. 3 to 4 ft., 50 cts. each		
SMALL FRUITS.		
GRAPES. 2 to 3 yrs., 35 cts each Except Campbell's Early, Green Mountain and McPike, which are 45, 65 and 75 cts. each, respectively.	3 00	25 00
Agawam, Brighton, Campbell's Early, Concord, Delaware, Green Mountain, Hartford, McPike, Moore's Diamond, Moore's Early, Niagara, Pocklington, Salem, Vergennes, Wilder, Worden.		
CURRANTS. 2 yrs., No. 1	1 00	8 00
Tree Currants. Red and White	2 00	15 00
GOOSEBERRIES, Downing. 2 yrs	1 -25	10 00
Houghton, 2 yrs	1 00	8 00
Industry. 4 yrs., selected	2 50	
Whitesmith, 4 yrs., selected	3 00	4
RASPBERRIES. Columbian, Cuthbert, Golden Queen, Gregg, London, Marlboro, Souhegan	1 00	5 00
BLACKBERRIES. Agawam, Ancient, Britain, Erie, Eldorado, Early King, Rathbun, Snyder, Wachusett		
Snyder, Wachusett	1 00	5 00
ASPARAGUS. Conover's Colossal		2 00
RHUBARB. Myatt's, 55 cts. each	4 00	

HERBACEOUS DEPARTMENT.

There is an increasing interest in the planting of hardy perennials, and each year finds the popularity more firmly established.

Our collection contains about a thousand species and varieties, so that one, by making judicious selections, may stock the garden with plants which afford flowers in succession from early Spring until late Fall. A full description of this stock will be found in our General Catalogue.

We send out only strong, field-grown plants, which will bloom the first season after planting, unless otherwise

specified.

Single plants will be furnished at twice the rate per 100.

HARDY PERENNIAL PLANTS, FERNS AND GRASSES.

	Per	r 10	Per	100
ACANTHUS mollis (Bear's Breech)-3 ft	1	50		
ACHILLEA (Milfoil or Yarrow).				
Aegyptica—Yellow, July to September, 20 in.	1	50	12	0.0
millefolium—Red, June, 2 ft		50		
millefolium roseum (Rosy Milfoil)				
Rosy pink, summer, 18 in	1	20	10	0.0
ptarmica fl. pl.—("The Pearl")				
White, all summer, 2 ft	1	0.0	8	0.0
ACONITUM (Monkshood, or Helmet Flower.)				00
autumnale—Blue, Oct., 4 ft	1	50		
Napellus				
Dark-blue, August to September, 2 ft	1	50		
uncinatum—Purple, June and July, 2 ft		50		
ACTAEA Japonica—White, 18 in., June		50		
ADIANTUM pedatum (Maiden-hair Fern)	~	00		
12 *in	1	50		
ADONIS vernalis (Spring Adonis)	~			
Spring, yellow, 12 in	2	0.0		
AGROSTEMMA (Mullein Pink).	_			
coronaria—Crimson, June, 3 ft	1	50	12	00
coronaria alba—White, June		50		00
Flos Jovis-Rose, June, 2 ft		50	J. see	00
AJUGA reptens (Bugle)—Purple, May, 6 in		50		
ALSTROMERIA (Peruvian Lilv)	_			
aurantica, Orange, July to September, 2 ft.	1	50		
ALTHAEA rosea (Hollyhock)				
Double varieties, all colors separate	1	50	12	0.0
Single mixed		50	12	
Alleghany		50	12	
ALYSSUM saxatile compactum (Basket of				
Gold, or Gold Tuft)				
Yellow, early summer, 1 ft	1	20	10	00
saxatile fl. pl	2	50		
AMSONIA Tabernaemontana				
Blue, June, 2 ft	1	50	12	00
ANCHUSA Italica (Alkanet)				
Blue, entire season, 4 ft	1	50	. 12	00
sempervirens. Blue, May, 2 ft	1	50	12	
Compositional Later, May, 2 2000				

	Per	r 10	Per 100
ANEMONE Japonica			
Carmine, September, 2 to 3 ft		50	\$12 00
Japonica, var. alba—White, September, 3 ft.	1	50	12 00
Japonica var. Queen Charlotte			
Pink, September, 2 ft	1	50	12 00
Japonica, var. Whirlwind			
Pure white, September, 3 ft	1	50	12 00
Pennsylvanica (Pennsylvanian Windflower)			
White, August, 1 ft	1	20	10 00
pulsatilla—Purple, April and May, 6 in	1	50	
sylvestris (Snowdrop Anemone)			
White, spring, 15 in	1	20	10 00
ANTHEMIS tinctoria (Chamomile)			
Lemon-yellow, June to August, 3 ft	1	20	10 00
ANTHERICUM (St. Bruno's Lily)			
liliastrum major-White, July, 2 ft	1	50	
APIOS tuberosa—Chocolate-red, July, climber	1	50	12 00
AQUILEGIA (Columbine).			
Caerulea-Rocky Mountain "Columbine,"			
2 ft., June	1	50	
Canadensis—Scarlet and yellow, June, 2 ft.		50	
chrysantha—Golden yellow, 2 ft., June		20	10 00
Siberica		50	10 00
Skinneri-Yellow with scarlet spurs, 2 ft		50	
vulgaris—Shades of blue, white, red and		00	
purple, 3 ft., April to June	1	50	12 00
vulgaris alba—White, 3 ft., May		50	12 00
vulgaris fl. pl.—Double-flowering, 2 ft		50	12 00
vulgaris fl. pl. albaWhite, May, 2 ft		00	12 00
ARABIS albida—White, May, 6 to 9 in		50	12 00
alpina (Rock Cress)—White, early spring		20	10 00
ARMERIA cephalotes rosea—		20	10 00
Rose, all summer, 1 ft	٦	50	
formosa—Crimson, all summer, 1 ft		50	
maritima (Thrift or Sea Pink)	.1.	90	
Rosy pink, all summer, 1 ft	7	20	10 00
maritima var. Laucheana	7	40	10 00
Rose, June-Sept., 9 in	9	50	
		20	
ARTEMESIA pontica—Gray foliage, 18 in	1	20	
Stellariana (Old Woman)	-1	0.0	
Silvery foliage, dwarf	T	00	
ASCLEPIAS incarnata	4	=0	
Purplish-red, July, 3 to 4 ft	1	50	
tuberosa (Butterfly Weed)	-	F 0	40.00
Orange-colored, July to Sept., 2 ft	1	50	12 00

HARDY ASTERS.

(Michaelmas Daisies.)

(Field grown plants, \$1 50 per 10, \$10 00 per 100.)

Acris—2 ft. Blue, large head, early.

Amellus var. bessarabicus—18 in. Bluish purple, large flowers, early.

Combe Fishacre—2 ft. Pale lavender, large flower, early. Ericoides (Heath-like Aster)—18 in. White, flowers small but élegant, late.

Esma—18 in. White, large flower, dense head, late.
Longifolia formosissimo—3 ft. Rosy purple, dense head.
flower medium.

Grace—3 ft. Bluish lavender, large flower, late.
Isabel—3 ft. Pale blue, flower medium, late.
John Wood—3 ft. White shaded pink, flower medium, early.
Lady Trevellyn—3 to 4 ft. Large white flowers, early.
Laevis—3 to 4 ft. Blue, flowers large, early.
florabunda—3 ft. Light blue, flowers large, late.
Madonna—3 ft. Pure white, large flowers, late.
M. perennial—2 ft. Light blue, flowers medium, early.
Multiflorus—18 in. Multitudes of small white flowers, late.
Novae-Angliae (New England Aster)—4 ft. Violet purple.

flowers large, late.
roseus—3 to 4 ft. Rosy crimson, large flower, late.
Novae-Belgii—3 ft. Pale blue, flower medium, late.
Novelty—3 ft. Deep pink, flower medium, late, very fine.
Pulcherrima—2 ft. Violet blue, larger flower, profuse bloomer, late.

Puniceus—4 to 5 ft. Very light blue, flower medium, late. Sawyer—2 ft. Pink, fading to white, flower large, late.

T. S. Ware—3 to 4 ft. Delicate pink, very dense, late.

1. 3. ware—5 to 4 It. Deficate pink, very of	iense,	iate.
	Per 10	Per 100
ASTER alpinus—Purple, June-July, 9 in	\$1 50	
ASTILBE Chinensis—Pink, July, 2 ft	2 00	
Davidi (New)—Red, 5 ft	5 00	
Japonica—White, June and July, 2 ft	1 50	10 00
BAPTISIA australis (False Indigo)	1 00	10 00
Blue, June and July, 2 ft	1 50	
tinctoria. Dark blue, July, 2 ft	1 50	
BELLIS (English Daisy) perennis—Red,	1 00	
white and pink, double. Spring flowers, 6 in.	1 50	12 00
BETONICA rosea—Rose, July, 18 in	1 50	12 00
superba. Purple, July, 18 in	1 50	
BOCCONIA cordata (Plume Poppy, or Tree	1 90	
Celandine)		
White, July and August, 6 to 8 ft	1 20	10 00
BOLTONIA asteroides (False Chamomile)	1 20	10 00
White Aster-like flowers, 5 to 6 ft., Sept.	1 20	10 00
latisquam. Pink, Sept., 5 to 6 ft	1 20	10 00
CALIMERIS incisa	1 20	10 00
Purple, July to September, 1 ft	1 20	
CALLIRHOE involucrata		
Violet-crimson, August, 1 ft	1 20	10 00
CAMPANULA alliariae folia-White, 18 in	1 50	20 00
Carpatica (Carpathian Hare-bell)—Deep	- 0	
blue, June to September, 9 in	1.20	10 00
Carpatica var. alba		2000
White, June to Sept., 9 in	1 50	
glomerata—Bluish-purple, June to Sept., 2 ft.	1 20	
latifolia—Blue, June and July, 2 ft	1 50	
macrantha—Purplish-blue, 3 to 4 ft	1 20	10 00
media—In separate colors, May-June	1 50	12 00
Mixed colors	1 50	12 00
persicifolia grandiflora		
Blue, June and July, 18 in	1 20	10 00
Diac, sand and sary, 10 m		

	Per	r 10	Per	100
persicifolia grand. var. alba White, June and July, 18 in	\$1	50	\$12	00
persicifolia fl. pl.	Ψ.		Ψ	
Blue, June-July, 18 in	2	00		
persicifolia var. Moerheimi				
Double, white, July, 2 ftpersicifolia—Mixed hybrids		50		
persicifolia—Mixed hyprids		50 50		
pulcherima—Blue, July, 2 ftpyramidalis (The Chimney Bell-Flower)	1	90		
Blue, August and September, 2 ft	1	20	10	00
rotundifolia (Blue Bells of Scotland, or	_			
Hare Bell)				
Clear-blue, June to August, 1 ft	1	50	12	00
CASSIA Marilandica (American Senna)	_	0.0		
Yellow, June to September, 4 ft	2	00		
CENTAUREA dealbata	1	50		
Yellow, August-September macrocephalus—	1	90.		
Deep yellow, September, 3 ft	1	50		
montana (Perennial Corn Flower)	_			
Blue, July and August, 1 1-2 to 2 ft	1	50		
montana alba—Pure white flowers		50		
montana rosea—Pink, July, 18 in	1	50		
CATANANCHE caerulea (Cupid's Dart)	4	F0		
White with blue eye, June to August, 2 ft.	1	50		
CERASTIUM Boisserii (Snow in Summer) Silvery foliage, white flowers, June, 6 in	1	50		
CHELONE (Shell Flower).	1	90		
glabra—White, autumn, 2 ft	1	50		
Lyonii—Deep red, September, 2 ft	1	50		
CHRYSANTHEMUM Hardy Pompom-Colors				
including bronze, pink, white, yellow, etc.		20		00
Named varieties—See General Catalogue		50		00
latifolium—White, Aug. and Sept., 3 ft leucanthemum hybridum (Shasta Daisy)	1	50	12	00
White with golden center, 2 ft	1	20	10	00
maximum—White, yellow center, 12 in		20		00
CIMICIFUGA racemosa (Snakeroot)			20	
White, July, 6 ft	2	0.0		
CLEMATIS Davidiana-Lavender-blue, August				
and September, 3 ft		50	12	00
recta—White, June, 4 ft	2	00		
majalis—Strong Pips			2	00
COREOPSIS delphinifolia—Yellow, 3 to 4 ft.	1	50	4	00
grandiflora—Yellow, all summer, 3 ft		50	12	00
lanceolata—Golden yellow, all summer, 3 ft.		20		00
verticillata				
Lemon-yellow, June to Sept., 18 in	1	50		
CYPRIPEDIUM (Lady Slipper).		0.0		
spectabile—White and pink, June, 1 ft	1	20	10	00
DELPHINIUM (Hardy Larkspurs). Cashmerianum—Pale blue, July, 2 ft	9	00		
Chinensis—Blue to almost white, July-	4	00		
Sept., 18 in	1	50	12	00
Chinensis alba-White form of above		50		00

	Per	· 10	Per	100
Elatum (Bee Larkspur)—Blue, June to				
August, 4 ft	\$1	50	\$12	0.0
formosum-Deep blue, June and July, 3 ft.	1	50		
formosum celestinum				
Light blue, June and July, 3 ft	1	50	12	00
Named hybrids—Large collection, choice		00	12	00
Named hybrids—Large confection, choice	0	0		
sorts		0 _G		
Mixed hybrids—All shades of blue, 3 to 4 ft.	1	20		
DIANTHUS barbatus (Sweet William)—				
Mixed colors	1	20	10	0.0
Chinensis var. Hedderwigi—Many colors	2	0.0		
deltoides (Maiden Pink)—Creeping variety,				
deep red, crimson eyed, May and June,				
6 in	1	20	10	0.0
latifolius	1	20	10	00
	-1	50	10	00
Red, June to September, 8 to 10 in	1	90	12	00
plumarius (Scotch or Garden Pink)				
June, 9 in		20		00
p. var. Her Majesty—Double, white	2	00.	15	0.0
p. var. Mrs. Sinkins-White	1	50		
p. var semperfloren s				
Dark-pink, June, 15 in	1	50		
DICENTRA eximia	1	00		
Pink, June to August, 1 ft	-1	E ()	12	00
	Т	30	14	00
spectabilis (Bleeding Heart)	0	0.0	4 -	0.0
Pink, May and June, 18 in	2	00	15	00
DICTAMNUS fraxinella (Gas Plant)				
Rose-pink, June and July, 2 1-2 ft		50		
fraxinella alba—Pure white, June, 2 ft	2	50		
DIGITALIS (Foxglove).				
ambigua, or grandiflora (Yellow Foxglove)				
Yellow, veined with brown, June and July,				
2 ft	1	20	1.0	0.0
Roseum—Double, red, white and pink		00	3. 0	~ ~
gloxiniaeflora	-	00		
	-1	F 0		
White to pink, June and July, 3 ft	Т	50		
purpurea (Common Foxglove)	_	•	4.0	
May-June, 5 ft	1	20	10	00
ECHINACEA purpurea (Purple Cone-flower)				
Rosy purple, July to September, 3 ft	1	50		
ECHINOPS (Globe Thistle).				
plumulum—Steel-blue, 3 ft	1	50		
ritro—Blue, August, 3 ft	1			
	1	90		
EPILOBIUM agustifolium	_	- ^		
Red, June to August, 4 ft	1	50		
EPIMEDIUM (Barren-wort).				
macranthum—Lilac-purple, May, 1 ft	2	50		
macranthum album—White, I ft	2	00		
ERIANTHUS ravennea—Purple plumes, 6 ft.	2			
		00	~	
ERIGERON (Flea-bane).	-1	F0		
speciosus—Violet-blue, June and July, 2 ft.	1	90		
ERYNGIUM (Sea Holly).				
alpinum—Blue, July, 3 ft	2			
Amethystinum—Blue, July to September, 3 ft.	2 !	50		
yuccafolium-Steel-blue, August, 3 ft	2	50		
7		~ ~		

	Per	10	Per :	100
EULALIA (Grass).	A 1	- 0	@ 1 O	0.0
Japonica var. gracillima—Narrow foliage, 4 ft	\$1 :	90	\$12	00
Japonica var. variegata Variegated leaves, 4 ft	1	50	12	00
Japonica var. Zebrina—Zebra-striped	1			00
EUPATORIUM ageratoides (Thorough-Wort)				
White, August and September, 4 ft	1 8	50		
purpureum—Purple, 6 ft	1	20	10	00
EUPHORBIA corollata (Flowering Spurge)		- 0		
White flowers, June to August, 18 in	1	50		
FUNKIA (Plantain Lily). subcordata var. grandiflora				
Pure white, July to September, 2 ft	2 !	50	20	00
lancifolia—Lilac. August. 2 ft	2		-0	
lancifolia—Lilac, August, 2 ft	1	50	12	00
ovata				
Lilac, trumpet-shaped flowers, June, 2 ft.	1			
variegata—Leaves variegated with white	1	50	12	00
GAILLARDIA aristata (Blanket Flower)				
Orange, crimson and red, June to November, 2 ft	1 :	20	10	00
grandiflorum—Large, crimson and gold, 2 ft.	1			00
GALEGA (Goat's Rue).	. 1	90	12	00
officinalis—Purplish-blue, June, 3 ft	1	50		
officinalis alba—White, June, 3 ft	1	50		
officinalis compacta—Lilac	. 1	50		
GALIUM boreale (Red Straw)				•
White, June to August, 3 ft	1			00
GALTONIA candicans—White, August, 4 ft GERANIUM sanguineum (Crane's Bill)	1	00	ь	00
Crimson 18 in	1	50	12	00
Crimson, 18 insanguineum album—White, 18 in	1			00
GEUM atrosanguineum				
Red, May to August, 1 ft	1		12	00
GILLENIA trifoliata—White, July, 3 ft	2			
GLYCERIA speciosum (Ribbon Grass)	1			
speciosum variegata	1	90		
GYNERIUM (Pampas Grass). argenteum—4 to 6 ft	2	50		
GYPSOPHILA paniculata (Baby's Breath)	2	90		
White, August and September, 3 ft:	1	50		
acutifoliaWhite, tinged with pink, 4 ft	1	50		
Stevenii-White, June and July, 2 ft	1	50	12	0.0
HELENIUM autumnale (Sneeze-Wort)				
Golden-yellow, August and September,	4	9.0	10	0.0
5 to 6 ft	1	20	10	00
Yellow, June to September, 3 to 4 ft	1	50		
pumilum—Yellow, Sept., 18 in				
pumilum—Yellow, Sept., 18 instriatum—Red and Orange, September, 4 ft.	1			
HELIANTHUS (Hardy Sunflowers).				
decapetalus		2.0		
Yellow, September to frost, 5 ft	1			00
Maximilliana—Yellow, Oct., 6 ft	1 :	20	10	00
mollis—Lemon yellow, August and September, 5 ft	1	20	10	00
JOHN 01 1 10111111111111111111111111111111	1		10	00

	Per	.10	Per 100
multiflorus plena—Double yellow, 4 ft			\$12 00
orgyalis—Golden yellow, September, 6 ft		50	
rigidus—Golden-yellow, August, 3 ft	1	50	
HELIOPSIS (Orange Sunflower).			
Pitcherianus			
Golden-yellow, all summer, 4 ft	1	50	12 00
HELLEBORUS niger major—White	2	50	
HEMEROCALLIS Aurantiaca Major-A Jap-			
anese variety with brilliant, orange-			
yellow, trumpet-shaped flowers. A			
splendid plant	5	UÜ	
flava—Orange yellow, May and June, 3 ft	1	20	
fulva—Bronze, August, 4 ft	1	20	10 00
kwanso fl. pl.			
Double, rich orange, copper, June, 2 ft.	1	50	
Sieboldi-Orange colored flowers, July, 2 ft.	1	50	
Thunbergiana—Bright yellow, June, 3 ft	1	50	
HESPERIS matronalis			
Pink and lilac, May, 2 ft	1	0.0	8 00
HEUCHERA sanguinea (Alum Root)		00	0 00
Crimson, June to August, 18 in	1	50	12 00
Americana—Flowers, July, 18 in		50	12 00
HIBISCUS militarls—Rose-colored, August, 5ft.		20	10 00
moscheutos (Swamp Rose Mallow)	L.		10 00
Rosy red, 4 ft	1	50	
moscheutos "Crimson Eye"	1	,,,,	
White, crimson center, Sept., 4 ft	1	20	10 00
HOLLYHOCKS—See Althaea rosea.	1	20	10 00
IBERIS sempervirens (Evergreen Candytuft)—			
Pure white, April and May, 1 ft	4	50	12 00
INCARVILLEA Delavayi	1	.,,,,	12 00
Rosy-purple, 18 in	9	50	
		90	
IRIS.			
We have upwards of one hundred and fifty	var	ietie	es in our
collection, including all classes, in both name	d z	arie	eties and
separate colors. For descriptions see General	l Ca	atalo	gue.
	Pe	r 10	Per 100
IRIS Alpine—A new race of early-flowering			
Iris, March to May, 6 to 9 in., named			
varieties	- 3	0.0	25 00
Mixed Seedlings.,	2	50	20 00
cristata—Light blue, May, 8 in	1	50	
flavescens—Lemon-yellow, 2 to 3 ft	1	50	12 00
Florentina—White, May, 18 to 24 in	1	50	12 00
Germanica—Named varieties	1	50	12 00
Mixed Colors		20	10 00
Kaempferi-Named varieties		0.0	15 00
Mixed Colors	1	50	12 00
orientalis—Blue (Yale color)	1	20	10 00
pallida Delmatica—Lavender, June		00	
pullida speciosa—Indigo, May		00	
pumila—Yellow, white, blue, April and May			
pseud-acorns—"Water Flag"			
Yellow, May and June	. 1	50	12 00
Siberica—Blue, June	1	50	12 00
Siberica—Blue, June	. 1	50	
Singifica dina frinte, bancieri in		-00	

	Per 10	Per 100
JASIONE perennis-Light blue, 1 ft	\$1 50	
LATHYRUS latifolius (Everlasting Pea)		
Red, June to September, 4 ft	1 50	
LAVENDULA vera lavender		
July and Aug., 2 ft	1 50	
LEPACHYS pinnata—Lemon, September, 6 ft.	1 20	
LIATRIS (Blazing Star).		
gracilis-New, feathery-purple, August, 4 ft.	1 50	
grameaflora—Purple, September, 4 ft		4
pycnostachya-Pale purple, September, 3 ft.	1 50	12 00
spicata—Deep purple spikes in June, 2 ft	1 50	
LILIUM Lily		
Auratum—Gold Band	2 00	15 00
canadense—Yellow, spotted	1 50	12 00
candidum—Easter Lily	1 50	12 00
elegans—Deep Maroon	1 20	10 00
longiflorum—White	2 00	15 00
speciosum album—White	2 00	15 00
	2 00	15 00
speciosum rubrum	1 50	19 00
superbum—Orange-red, July and August		10.00
Tigrinum—Tiger Lily	1 50	12 00
LINUM perenne (Flax)	7 50	10 00
Blue, June to Oct., 18 in	1 50	12 00
LOBELIA (Cardinal Flower).		
cardinalis—Scarlet, September, 2 ft	1 50	12 00
syphilitica—Blue, August and September, 2 ft.	1 50	12 00
LUPINUS.		
polyphyllus—Purple, May and June, 3 ft	1 50	12 00
polyphyllus albus—White, May and June, 3 ft.	1 50	
LYCHNIS Chalcedonica (Maltese Cross)		
Scarlet, July to September, 2 to 3 ft	1 00	8 00
Chalcedonica alba-White, July to Sept., 3 ft.	1 50	12 00
Haageana-Scarlet, July-August, 1 ft	1 50	12 00
plenissima semper florens		
Fresh rose, all summer, 1 ft	1 50	
viscaris splendens—Rose-pink, July, 2 ft	1 50	12 00
viscaria splendens plena	1 00	
Fiery-rose, June and July, 15 in	1 50	12 00
LYSIMACHIA clethroides	1 00	12 00
White, July to Sept., 18 in	1 50	
mummularia (Money-wort)	1 30	
Yellow, June to Sept., 2 in	1 50	12 00
LYTHRUM roseum superbum	1 90	12 00
Rose-color, July to September, 3 to 4 ft.	1 50	12 00
alatum—Purple, September and October, 4 ft.	1 50	12 00
MALVA aclea (Mallow)	1 90	
	4 50	
Pink, all summer, 4 ft	1 50	40.00
moschata—Rosy tint, July to September, 2 ft.	1 50	12 00
MONARDA didyma (Oswego Tea)	- F.O.	40.00
Bright scarlet, June and July, 2 to 3 ft	1 50	12 00
fistulosa (Bergamot)	0 =	
Pale red, all summer, 3 ft	2 50	
MYOSOTIS (Forget-me-not).		
palustris semperflorens		
Blue, April to June	1 20	10 00

PAEONIAS.

These Paeonias are field-grown, with three to five eyes. Price \$3 00 per 10, \$25 00 per 100, unless otherwise noted.

Double Varieties.

Alba Perfecta—Pure white, extra fine.

Alba plena-White.

Amabilis grandiflora-White, fringed petals, sweet.

Artemise—Rose of several tints.

Baron de Rothschild-Salmon center with outside petals rose.

Beaute Francaise-Clear red.

Bucchi-White, yellow center.

Carnea Elegans-Salmon rose.

Caroline Mather—Crimson, very large and dark.

Charles Binder-Violet red.

Charles Grosselin-Salmon with yellow.

Chrysantemiflora-White yellow

Couronne de Roses-Dark rose, pink center.

Cytheree-Whitish.

Delachii-Delicate pink, fine.

Duchesse Mathilde-Pink.

Duchesse de Nemours—Sulphur with white extra.

Duke of Wellington-White with creamy center.

Faust-Soft rose.

Festiva Alba-Yellowish White.

Festiva Maxima—Pure white, large, with a few center petals tinged with carmine, best. 75 cts. each, \$6.00 per 10.

Formosa Alba-White.

Formosa Rosea-Rosy pink.

Francis Ortegal-Purple crimson, very dark, large.

Fulgida—Very dark crimson, profuse flowering, extra.

Globosa-Rosy lilac shaded to deep rose.

Grandiflora carnea plena—Outside petals blush, center yellowish, very large, sweet.

Grandiflora Superba-Red with rosy white.

Humei-Rose, very large, late, extra.

Humei Alba-White.

Lady Leonora Bromurd.

La France—Outside petals pink, yellowish center, fine.

La Martine-Bright red, full good.

Louis Van Houtte—Velvety purple, very dark, exceptionally large and desirable, fine form, 50 cts., \$3.50 per 10.

Madame Breon-Rose with whitish yellow.

Madame Gallhear-White.

Marie Lemoin-Pure white with creamy center.

Modista Guerin-Dark rose, large, fragrant.

Ne Plus Ultra-Shell pink.

Nivea Plenissima—Pure white.

Officinalis Rosea—Pink, very early, good.

Officinalis Rubra—Clear red, very early, fine.

Perfection (Richardson's Seeding)—Outside petals rose-lilac; inside salmon; sweet.

Pulcherrima Sulphur.

Queen Perfection-Cream white.

Rosea Elegans-Lively rose.

Souv. de l'Exposition-Deep rose, large and fine.

Sulphuria—White, tinted yellow, large, fine, the deepest yellow of all, extra.

Triomphe de Grand—Rosy white with yellow. Triomphe de Nord—Violet-rose, lilac shade.

Victorie Modiste—Inside petals small, double and rosy white, surrounded by a row of large single rose petals, distinct.

Single Varieties.

Price, 60 cts. each, \$5.00 per 10.

Josephine—Rose. Larissa—Pink. Mardonius—Crimson. Medon—White.

Wicdon William

PERENNIAL PHLOX.

Strong, field-grown plants, best varieties.

Price \$1.50 per 10, \$12.00 per 100.

Astier Rehu-Light purplish crimson, mottled, large flower.

Baule de Feu—Cherry red, brilliant.

Bridesmaid-White with large rose center, good habit.

Coccinea—Scarlet.

Coquelicot—Orange scarlet, crimson center.

Czarina-Pure white, early.

Dora Umgella-White with lilac pink center, very large.

Eclaireur—Carmine, salmon center, large.

Esperance—Light lavender pink, large white center.

Etta's Choice—Very tall, pure white, very late.

Faust—Bright pink, carmine center, large.

Fernand Cortez—Deep crimson, very dark center, bronze effect.

General Chanzy-Scarlet pink, tinted salmon.

Hector-Bright pink, 18 in.

Henry Munger-Pale white, crimson center, large.

Independence—Pure white, late.

James Bennett-Salmon pink, dark center.

James Galloway-Cherry red.

Jeanne d'Arc-Pure white.

La Feu du Monde-Bright salmon red, late.

La Flander-Dark red, tall, very late.

La Pole du Nord—Pure white, crimson center.

Le Mahdi-Bright deep purple, velvety.

Le Soliel-Brilliant China rose, rose center.

Lothair—Salmon red, carmine center.

Lumineaux-Brilliant rose with slight tinge of carmine, white center.

Madame Meuret-Flame color, carmine center.

Mad. P. Langier-Salmon-pink, dark center.

Metador-Bright orange-red, large.

Michael Buckner-Dark purple.

Michael Cervantes—Pure white with red center.

Miss Lingard—White with delicate pink center.

Moliere-Salmon rose, deep rose eye.

Norwood-Bright magenta-crimson.

Ornament-Bright pink, very large, medium height.

Pantheon-Deep rose.

Peach Blow-Delicate pink, deep rose center.

Pluto-Deep fuchia red.

Pink Beauty-Light pink.

Purity-Snowy white, large flower.

Richard Wallace—Pure white, violet rose center.

R. B. Struthers—Bright pinkish salmon, crimson eye. Saison Lierval—White, light pink center.

Semisamis—Crimson purple, large, white center.

Simplon—Salmon pink, dark center, very large.

Sunshine—Deep salmon pink, rose center.

Thebaide—Salmon red, crimson center, dwarfish.

The Pearle—Pure white.

SEEDLING PHLOX.

These include some of the finest varieties. Mixed seedlings, \$1.20 per 10, \$10.00 per 100.

	Per 10	Per 100
PHLOX amoena. One of the best early flow-		
ering species. Flowers pinkish-purple	1 50	12 00
P. Caroliniana var. ovata. Large purplish-		
red flowers		12 00
P. divaricata. Fragrant lilac flowers, 6 in	1 20	10 00
P. subulata. (Moss Pink.) Forms a carpet		
of moss-like foliage, covered with pur-		
ple-pink flowers in spring		8 00
P. subulata alba. A form of p. subulata		8 00
		8 00
with white flowers	1 00	8 00
P. subulata var. The Bride. White with	1 00	10.00
red center		10 00
PACHYSANDRA terminalis. White, May	1 50	
PAPAVER orientale (Oriental Poppy)—Flow-		
ers of large size and gorgeous colors, 2 ft.		12 00
Named Varieties—Assorted colors	2 00	
nudicaule (Iceland Poppy)—Various colors,		
1 ft	1 50	12 00
PARDANTHUS Chinensis-Black and orange,		
2 ft	1 20	10 00
PENTSTEMON (Beard Tongue).		
acuminatus—Lilac, June, 2 ft	1 50	
barbatus Torreyii-Scarlet, June to August,		
3 ft	1 20	10 00
diffusus—Purple, August, 18 in	1 50	12 00
umusus -1 urpre, August, 10 m		


	Per	10	Per	100
digitalis-Purple-white, July and August,	1 01	10	101	100
3 ftovatus—Blue changing to purple, July,	1	20		
2 to 3 ft	1	50		
PHYSALIS FRANCHETI (Chinese Lantern	_			
Plant)—Red fruit in autumn, 2 ft	1	50	12	0.0
PHYSOSTEGIA (False Dragon Head).	-	00		00
speciosa—Bright pink, very showy, June, 2 ft.	1	50	12	00
Virginica—Pink flowers, 3 ft		50		00
Virginica alba—Pure white, 3 to 4 ft	1	50		
Virginica rubra—Red, 3 ft	1	50	12	00
PINKS Hardy Garden. See Dianthus.				
PLATYCODON (Chinese Bell Flower).				
grandiflorum-Blue, June to October, 18 in.	1	50	12	00
grandiflorum album-White, June to Oc-				
tober, 18 in	1	50		
grandiflore plena—Double flowers, 18 in	2			
Mariesii-Violet-blue, 1 ft	-1			
PLUMBAGO larpentae—Blue, 9 in	1	50	12	00
POLEMONIUM (Jacob's Ladder).				
coeruleum—Blue, June and July, 1 ft	1	50	12	00
POLYGONATUM (Solomon's Seal).				
cuspidatum—White tubular blooms, 2 ft	1	-	12	00
multiflorum—Does well in shady spots, 2 ft.	1	60°		
POLYGONUM baldschuanicum—Rose-color,				
climber	1			
sachalinese—White, 10 ft	1			
Siebaldi—Pink, 8 in	2	00		
POTENTILLA formosa (Cinquifoil)—Red,		~ ^		
July, 18 in	1	50		
grandiflora-Red and orange, June and	7	20		
July, 1 ft lutea—Rich yellow, June and July, 1 ft		20		
	T	20		
PRIMULA (Primrose). Auricula—Yellow, early	1	00		
Carpatica—Violet blue in spring		50		
Veris superba—Very large yellow flowers	1			
PYRETHRUM (Feverfew).	-	00		
uliginosum (Giant Daisy)—White, July to				
September, 4 to 5 ft	1	50	12	00
roseum-Double, red, white and pink		50		
roseum—Single, mixed	1	00		
roseum—Single, red, white and pink	1	50		
RANUNCULUS acris fl. pl. (Bachelors' But-				
tons)—Yellow, May and June, 2 ft	1		10	00
aconitifolia plena—White, June, 2 ft	1			
repens—Yellow, June and July	1	50	12	00
RUDBECKIA (Coneflower).				
"Golden Glow"-Yellow, Aug. and Sept., 6 ft	1		8	00
fulgida—Yelow with maroon disk, 6 ft	1	20		
purpurea—Reddish-purple, June to October,	_			
4 ft	1		12	00
sub-tomentosa-Yellow, August, 5 ft	1	50		

				-10
	Per	10	Per	100
SALVIA azurea grandiflora (Meadow Sage)				
Sky-blue, August and September, 3 to				
4 ft	1	50	12	00
pratensis-Blue, June to August, 2 to 3 ft	1	50	12	00
SANTOLINA incana—Yellow, June, 1 ft	1	50		
SAPONARIA ocymoides—Pink, May to	-	00		
August, 6 in	4	=0	10	0.0
afficination of the Dink Associate 0 ft	1		12	00
officinalis fl. pl.—Pink, August, 2 ft	1	00		
SAXAFRAGA cordifolia-Rose, April and				
May, 15 in	2	00		
SCABIOSA Caucasica—Lilac-blue, June to				
September, 1 1-2 ft	1	50		
Caucasica alba—A white variety	2	00		
SEDUM (Stone-crop).				
acre (Golden Moss)—Yellow, creeper	1	50	12	00
album		-0	1.4	0.0
Creeping, green foliage, white flowers	1	50	19	00
maximum atropurpureum—Reddish flowers.		50 50	14	00
	1	90		
spectabile (Brilliant Stone-crop)—Rose-col-	1	F0	10	00
ored		50		00
SEMPERVIVUM—In variety		50	12	0.0
SIDALCEA candida—White, 3 ft, June	1	50		
SILENE maritima—White, June, 3 to 4 in	1 :	50	12	0.0
Pennsylvanica—Native, bright pink flowers,				
9 in	1	50		
SOLIDAGO Canadensis (Golden rod)—Golden				
yellow flowers in fall, 3 to 4 ft	1 (0.0	. 0	00
			0	00
SPIRAEA Aruncus—White, June, 4 ft	1			0.0
astilboides—White, June and July, 2 ft	1			00
Japonica—White, May, 2 ft	1 8		12	00
Kamtschatka—White, June, 6 ft	1	50		
filipendula-White tinged with rose, June,				
2 ft	1 :	20	10	00
filipendula fl. plWhite, June and July, 2 ft.	1 :	50-	12	00
palmata—Crimson, June to August, 3 ft	1			00
palmata alba				
A pure white variety, similar to above.	2	50	20	00
Ulmaria fl. pl.—Creamy-white, 3 ft	1 1			00
venusta—Deep pink, July, 5 ft			14	00
	1 8	00		
STACHYS (Woundwort).				
lanata	1000	. /		
Silvery-white foliage, purple flowers, 1 ft.	1 5	50	12	00
STATICE (Sea Lavender).				
latifolia—Immense size, deep blue	1 5	50	12	0.0
THALICTRUM (Meadow Rue).				
aquilegifolium				
Purple flowers, 2 ft., May to July	2 (00		
THERMOPSIS Caroliniana	_ (
	1.5	50	12	00
Yellow, June and July, 5 ft			14	00
THYMUS Vulgaris—Lilac, June and July, 6 in.	1 5			
TIARELLA cordifolia—White	1 5	00		
TRADESCANTIA (Spider-wort).		-		
Virginica—Purple flowers all summer, 2 ft.	1 5		12	
Virginica alba—White flowered	1 5	0	12	00
-0				

TRILLIUM (Wood Lily). erectum—Maroon, April, 6 to 9 in grandiflorum—White, April, 6 to 9 in	Per 10 1 00 1 00 2 00	Per 100 8 00 8 00
erectum-Maroon, April, 6 to 9 in	1 00	
erectum—Maroon, April, 6 to 9 in	1 00	
grandiflorum—White, April, 6 to 9 in		8 00
	2 00	
TRITOMA (Red Hot Poker).	2 00	
corallina coral—Red, all summer, 2 ft		15 00
Pfitzerii—Orange scarlet, August to October,		
4 ft	2 00	15 00
uvaria grandiflora—Rich crimson, 3 to 4 ft	1 50	12 00
TROLLIUS Europaeus (Globe Flower)		
Yellow, 1 ft	1 50	12 00
Orange Globe—Yellow, 18 in	1 50	
TUNICA saxafraga—Bright pink, all summer,		
6 in	1 50	12 00
UNIOLA latifolia (Spike Grass)	1 50	
VALERIANA officinalis—Lavender, June, 4 ft.	1 50	
VERBASCUM nigrum—Silvery-white foliage,		
yellow flowers in August, 6 ft	1 50	
VERONICA (Speedwell).	1 00	
amethystina—Amethyst blue, June, 12 in	1 50	
gentianoides—Pale blue, 1 ft, May	2 00	15 00
longifolia—Blue, August, 2 ft	1 20	10 00
longifolia subsessillis—Blue, July to Sep-		10 00
tember, 2 ft	2 00	15 00
incana—Blue, July and August, 1 ft	2 00	10 00
spicata—Bright blue, June and July, 18 in	1 50	12 00
spicata alba—White-flowered	1 50	12 00
rupestris—Blue, early spring	1 50	
VERNONIA Arkansana (Iron Weed)—Purple,	1 00	
September, 5 ft	1 50	
VIOLA—Violets.	1 00	
cornuta—Deep purple, April to August, 9 in.	1 50	
cornuta alba—Large, white	2 00	
Double Russian—Double deep purple	1 50	
Wellsiana—Large, rich purple	1 50	
VINCA minor (Periwinkle, or Trailing Myrtle)	1 00	8 00
VINCETOXICUM Japonicum—White, all sum-	1 00	3 00
mer, 3 ft	1 50	
YUCCA filamentosa (Adam's Needle)	1 90	
Creamy white, June, 6 ft	2 50	20 00
Creamy write, June, o It	2 50	20 00

INSPECTOR'S CERTIFICATE ACCOMPANIES EVERY SHIPMENT.

Location of Bay State Nurseries



Commonwealth of Massachusetts.

STATE BOARD OF AGRICULTURE

Official Certificate No. 26.

Boston, Aug. 26, 1905.

TO WHOM IT MAY CONCERN.

This is to Certify that I have this twenty-sixth day of August, 1905, completed the inspection of the nursery stock of the Bay State Nurseries (W. H. Wyman, Prop.,) grown at North Abington, State of Massachusetts, and find it to be apparently free from the San Jose Scale and other injurious insects and diseases which might be transferred on Nursery Stock from the nursery to the orchard or garden.

This certificate is good until July 1, 1906.

[Signed] H. T. FERNALD, Inspector.

Inspected by E. A. Back, H. M. Russell and H. J. Franklin.